

Auszug aus dem EMF-Portal

(www.emf-portal.org)

Die Internet-Informationsplattform EMF-Portal der RWTH Aachen fasst wissenschaftliche Forschungsergebnisse zu den Wirkungen elektromagnetischer Felder (EMF) systematisch zusammen und stellt diese in englischer und deutscher Sprache zur Verfügung. Kernstück des EMF-Portals ist eine umfangreiche Literaturdatenbank mit einem Bestand von **32.768** Publikationen und **6.850** Zusammenfassungen einzelner wissenschaftlicher Studien zu den Wirkungen elektromagnetischer Felder.


Inhaltsverzeichnis

Auszug aus dem EMF-Portal (www.emf-portal.org)	1
Mobilfunk.....	3
118 Studien: Hirntumor.....	3
96 Studien: Sonstiges	16
86 Studien: Elektrosensibilität /Wohlbefinden/subjektive Beschwerden	27
45 Studien: Sonstige Krebsarten.....	37
17 Studien: Leukämie/Lymphom.....	42
Weitere Zusammenfassungen.....	44
1343 Experimentelle Studien zu Mobilfunk.....	44
216 Studien zur 5. Mobilfunkgeneration (5G)	44
286 Epidemiologische Studien zu den Wirkungen von Hochfrequenz und Niederfrequenz auf Kinder	45
642 Experimentelle Studien zu den Wirkungen von Nieder- und Hochfrequenz auf Jungtiere	45
505 Epidemiologische Studien zu Netzfrequenzfeldern (50/60 Hz).....	46
1772 Experimentelle Studien zu magnetischen Netzfrequenzfeldern (50/60 Hz)	46
335 Experimentelle Studien zu elektrischen Netzfrequenzfeldern (50/60 Hz)	47
1521 Experimentelle Studien zu statischen Magnetfeldern.....	47
143 Experimentelle Studien zu statischen elektrischen Feldern.....	47

Mobilfunk

317 Epidemiologische Studien zu Mobilfunk

<https://www.emf-portal.org/de/article/overview/mobile-communications-epidem#level-1>



118 Studien: Hirntumor

- 2020, Chen F, Wang P, Lan J, Hu M, Zheng J, Li Y, Hou C, Zhou D
Wireless phone use and adult meningioma risk: a systematic review and Meta-analysis. [epidem.]
Br J Neurosurg: 1-7 [im Druck]
- 2020, Choi YJ, Moskowitz JM, Myung SK, Lee YR, Hong YC
Cellular Phone Use and Risk of Tumors: Systematic Review and Meta-Analysis. [epidem.]
Int J Environ Res Public Health 17 (21): E8079
- 2019, Natukka T, Raitanen J, Haapasalo H, Auvinen A
Incidence trends of adult malignant brain tumors in Finland, 1990-2016. [epidem.]
Acta Oncol 58 (7): 990-996
- 2019, Sato Y, Kojimahara N, Yamaguchi N
Simulation of the incidence of malignant brain tumors in birth cohorts that started using mobile phones when they first became popular in Japan. [epidem.]
Bioelectromagnetics 40 (3): 143-149
- 2019, Nilsson J, Järås J, Henriksson R, Holgersson G, Bergström S, Estenberg J, Augustsson T, Bergqvist M
No Evidence for Increased Brain Tumour Incidence in the Swedish National Cancer Register Between Years 1980-2012. [epidem.]
Anticancer Res 39 (2): 791-796
- 2019, Rösli M, Lagorio S, Schoemaker MJ, Schüz J, Feychting M
Brain and Salivary Gland Tumors and Mobile Phone Use: Evaluating the Evidence from Various Epidemiological Study Designs. [epidem.]
Annu Rev Public Health 40: 221-238
- 2019, Olsson A, Bouaoun L, Auvinen A, Feychting M, Johansen C, Mathiesen T, Melin B, Lahkola A, Larjavaara S, Villegier AS, Byrnes G, Deltour I, Schüz J

- Survival of glioma patients in relation to mobile phone use in Denmark, Finland and Sweden. [epidem.]
J Neurooncol 141 (1): 139-149
- 2019, de Vocht F
Analyses of temporal and spatial patterns of glioblastoma multiforme and other brain cancer subtypes in relation to mobile phones using synthetic counterfactuals. [epidem.]
Environ Res 168: 329-335
 - 2018, Keinan-Boker L, Friedman E, Silverman BG
Trends in the incidence of primary brain, central nervous system and intracranial tumors in Israel, 1990-2015. [epidem.]
Cancer Epidemiol 56: 6-13
 - 2018, Karipidis K, Elwood M, Benke G, Sanagou M, Tjong L, Croft RJ
Mobile phone use and incidence of brain tumour histological types, grading or anatomical location: a population-based ecological study. [epidem.]
BMJ Open 8 (12): e024489
 - 2018, Vila J, Turner MC, Gracia-Lavedan E, Figuerola J, Bowman JD, Kincl L, Richardson L, Benke G, Hours M, Krewski D, McLean D, Parent ME, Sadetzki S, Schlaefter K, Schlehofer B, Schüz J, Siemiatycki J, van Tongeren M, Cardis E, INTEROCC Study Group
Occupational exposure to high-frequency electromagnetic fields and brain tumor risk in the INTEROCC study: An individualized assessment approach. [epidem.]
Environ Int 119: 353-365
 - 2018, Wang P, Hou C, Li Y, Zhou D
Wireless Phone Use and Risk of Adult Glioma: Evidence from a Meta-Analysis. [epidem.]
World Neurosurg 115: e629-e636
 - 2018, Philips A, Henshaw DL, Lamburn G, O'Carroll MJ
Brain tumours: rise in Glioblastoma Multiforme incidence in England 1995–2015 suggests an adverse environmental or lifestyle factor. [epidem.]
J Environ Public Health 2018: 1-10
 - 2017, Momoli F, Siemiatycki J, McBride ML, Parent MÉ, Richardson L, Bedard D, Platt R, Vrijheid M, Cardis E, Krewski D
Probabilistic Multiple-Bias Modeling Applied to the Canadian Data From the Interphone Study of Mobile Phone Use and Risk of Glioma, Meningioma, Acoustic Neuroma, and Parotid Gland Tumors. [epidem.]
Am J Epidemiol 186 (7): 885-893
 - 2017, Yang M, Guo W, Yang C, Tang J, Huang Q, Feng S, Jiang A, Xu X, Jiang G
[Details] Mobile phone use and glioma risk: A systematic review and meta-analysis. [epidem.]
PLoS One 12 (5): e0175136
 - 2017, Bortkiewicz A, Gadzicka E, Szymczak W

- [Details] Mobile phone use and risk for intracranial tumors and salivary gland tumors - a meta-analysis. [epidem.]
Int J Occup Med Environ Health 30 (1): 27-43
- 2017, Prasad M, Kathuria P, Nair P, Kumar A, Prasad K
[Details] Mobile phone use and risk of brain tumours: a systematic review of association between study quality, source of funding, and research outcomes. [epidem.]
Neurol Sci 38 (5): 797-810
 - 2016, Wang Y, Guo X
[Details] Meta-analysis of association between mobile phone use and glioma risk. [epidem.]
J Cancer Res Ther 12 (Supplement): C298-C300
 - 2016, de Vocht F
[Details] Inferring the 1985-2014 impact of mobile phone use on selected brain cancer subtypes using Bayesian structural time series and synthetic controls. [epidem.]
Environ Int 97: 100-107
 - 2016, Grell K, Frederiksen K, Schüz J, Cardis E, Armstrong B, Siemiatycki J, Krewski DR, McBride ML, Johansen C, Auvinen A, Hours M, Blettner M, Sadetzki S, Lagorio S, Yamaguchi N, Woodward A, Tynes T, Feychting M, Fleming SJ, Swerdlow AJ, Andersen PK
[Details] The Intracranial Distribution of Gliomas in Relation to Exposure From Mobile Phones: Analyses From the INTERPHONE Study. [epidem.]
Am J Epidemiol 184 (11): 818-828
 - 2016, Sato Y, Kiyohara K, Kojimahara N, Yamaguchi N
[Details] Time trend in incidence of malignant neoplasms of the central nervous system in relation to mobile phone use among young people in Japan. [epidem.]
Bioelectromagnetics 37 (5): 282-289
 - 2016, Chapman S, Azizi L, Luo Q, Sitas F
[Details] Has the incidence of brain cancer risen in Australia since the introduction of mobile phones 29 years ago? [epidem.]
Cancer Epidemiol 42: 199-205
 - 2016, Leng L, Zhang Y
[Details] Etiology of Pituitary Tumors: A Case Control Study. [epidem.]
Turk Neurosurg 26 (2): 195-199
 - 2015, Yoon S, Choi JW, Lee E, An H, Kim HS, Choi HD, Kim N
[Details] Mobile phone use and risk of glioma: a case-control study in Korea for 2002-2007. [epidem.]
Environ Health Toxicol 30: e2015015
 - 2015, Leitgeb N

- [Details] Synoptic Analysis of Epidemiologic Evidence of Glioma Risk from Mobile Phones. [epidem.]
J Electromagn Anal 7 (9): 233-243
- 2015, Shrestha M, Raitanen J, Salminen T, Lahkola A, Auvinen A
[Details] Pituitary tumor risk in relation to mobile phone use: A case-control study. [epidem.]
Acta Oncol 54 (8): 1159-1165
 - 2015, Carlberg M, Hardell L
[Details] Pooled analysis of Swedish case-control studies during 1997-2003 and 2007-2009 on meningioma risk associated with the use of mobile and cordless phones. [epidem.]
Oncol Rep 33 (6): 3093-3098
 - 2015, Kim SJH, Ioannides SJ, Elwood JM
[Details] Trends in incidence of primary brain cancer in New Zealand, 1995 to 2010. [epidem.]
Aust N Z J Public Health 39 (2): 148-152
 - 2015, Hardell L, Carlberg M
[Details] Mobile phone and cordless phone use and the risk for glioma - Analysis of pooled case-control studies in Sweden, 1997-2003 and 2007-2009. [epidem.]
Pathophysiology 22 (1): 1-13
 - 2014, Leitgeb N
[Details] Synoptic Analysis of Epidemiologic Evidence of Brain Cancer Risks from Mobile Communication. [epidem.]
J Electromagn Anal 6 (14): 413-424
 - 2014, Carlberg M, Hardell L
[Details] Decreased Survival of Glioma Patients with Astrocytoma Grade IV (Glioblastoma Multiforme) Associated with Long-Term Use of Mobile and Cordless Phones. [epidem.]
Int J Environ Res Public Health 11 (10): 10790-10805
 - 2014, Coureau G, Bouvier G, Lebailly P, Fabbro-Peray P, Gruber A, Leffondre K, Guillemin JS, Loiseau H, Mathoulin-Pelissier S, Salamon R, Baldi I
[Details] Mobile phone use and brain tumours in the CERENAT case-control study. [epidem.]
Occup Environ Med 71 (7): 514-522
 - 2014, Moon IS, Kim BG, Kim J, Lee JD, Lee WS
[Details] Association between vestibular schwannomas and mobile phone use. [epidem.]
Tumour Biol 35 (1): 581-587
 - 2014, Pettersson D, Mathiesen T, Prochazka M, Bergenheim T, Florentzson R, Harder H, Nyberg G, Siesjö P, Feychting M
[Details] Long-term Mobile Phone Use and Acoustic Neuroma Risk. [epidem.]

- Epidemiology 25 (2): 233-241
- 2014, Lagorio S, Rösli M
[Details] Mobile phone use and risk of intracranial tumors: A consistency analysis [epidem.]
Bioelectromagnetics 35 (2): 79-90
 - 2013, Hardell L, Carlberg M, Söderqvist F, Hansson Mild K
[Details] Case-control study of the association between malignant brain tumours diagnosed between 2007 and 2009 and mobile and cordless phone use. [epidem.]
Int J Oncol 43 (6): 1833-1845
 - 2013, Hardell L, Carlberg M
[Details] Use of mobile and cordless phones and survival of patients with glioma. [epidem.]
Neuroepidemiology 40 (2): 101-108
 - 2013, Hardell L, Carlberg M, Söderqvist F, Hansson Mild K
[Details] Pooled analysis of case-control studies on acoustic neuroma diagnosed 1997-2003 and 2007-2009 and use of mobile and cordless phones. [epidem.]
Int J Oncol 43 (4): 1036-1044
 - 2013, Carlberg M, Söderqvist F, Hansson Mild K, Hardell L
[Details] Meningioma patients diagnosed 2007--2009 and the association with use of mobile and cordless phones: a case-control study. [epidem.]
Environ Health 12 (1): 60
 - 2013, Benson VS, Pirie K, Schüz J, Reeves GK, Beral V, Green J
[Details] Mobile phone use and risk of brain neoplasms and other cancers: prospective study. [epidem.]
Int J Epidemiol 42 (3): 792-802
 - 2013, Hsu MH, Syed-Abdul S, Scholl J, Jian WS, Lee P, Iqbal U, Li YC
[Details] The incidence rate and mortality of malignant brain tumors after 10 years of intensive cell phone use in Taiwan. [epidem.]
Eur J Cancer Prev 22 (6): 596-598
 - 2012, Han YY, Berkowitz O, Talbott E, Kondziolka D, Donovan M, Lunsford LD
Are frequent dental x-ray examinations associated with increased risk of vestibular schwannoma? [epidem.]
J Neurosurg 117: 78-83
 - 2012, Barchana M, Margalioth M, Liphshitz I
[Details] Changes in brain glioma incidence and laterality correlates with use of mobile phones - a nationwide population based study in Israel. [epidem.]
Asian Pac J Cancer Prev 13 (11): 5857-5863
 - 2012, Carlberg M, Hardell L
[Details] On the association between glioma, wireless phones, heredity and ionising radiation. [epidem.]
Pathophysiology 19 (4): 243-252

- 2012, Li CY, Liu CC, Chang YH, Chou LP, Ko MC
[Details] A population-based case-control study of radiofrequency exposure in relation to childhood neoplasm. [epidem.]
Sci Total Environ 435: 472-478
- 2012, Little MP, Rajaraman P, Curtis RE, Devesa SS, Inskip PD, Check DP, Linet MS
[Details] Mobile phone use and glioma risk: comparison of epidemiological study results with incidence trends in the United States. [epidem.]
BMJ 344: e1147
- 2012, Deltour I, Auvinen A, Feychting M, Johansen C, Klaeboe L, Sankila R, Schüz J
[Details] Mobile Phone Use and Incidence of Glioma in the Nordic Countries 1979-2008: Consistency Check. [epidem.]
Epidemiology 23 (2): 301-307
- 2012, Atzmon I, Linn S, Richter E, Portnov BA
[Details] Cancer risks in the Druze Isifya Village: Reasons and RF/MW antennas. [epidem.]
Pathophysiology 19 (1): 21-28
- 2011, Ding LX, Wang YX
[Details] Increasing incidence of brain and nervous tumours in urban Shanghai, China, 1983-2007. [epidem.]
Asian Pac J Cancer Prev 12 (12): 3319-3322
- 2011, Frei P, Poulsen AH, Johansen C, Olsen JH, Steding-Jessen M, Schüz J
[Details] Use of mobile phones and risk of brain tumours: update of Danish cohort study. [epidem.]
BMJ 343: d6387
- 2011, INTERPHONE Study Group, Cardis E, Deltour I, Vrijheid M, Evrard AS, Moissonnier M, Armstrong B, Brown J, Nadon L, Giles G, Siemiatycki J, Parent ME, Krewski D, McBride MM, Johansen C, Christensen HC, Auvinen A, Kurttio P, Salminen T, Lahkola A, Hours M, Bernard M, Montestruq L, Schüz J, Blettner M, Berg-Beckhoff G, Schlehofer B, Sadetzki S, Chetrit A, Jarus-Hakak A, Lagorio S, Iavarone I, Takebayashi T, Yamaguchi N, Woodward A, Cook A, Pearce N, Tynes T, Klaeboe L, Blaasaas KG, Feychting M, Lönn S, Ahlbom A, McKinney PA, Hepworth SJ, Muir KR, Swerdlow AJ, Schoemaker MJ
[Details] Acoustic neuroma risk in relation to mobile telephone use: Results of the INTERPHONE international case-control study. [epidem.]
Cancer Epidemiol 35 (5): 453-464
- 2011, Baldi I, Coureau G, Jaffre A, Gruber A, Ducamp S, Provost D, Lebailly P, Vital A, Loiseau H, Salamon R
[Details] Occupational and residential exposure to electromagnetic fields and risk of brain tumors in adults: a case-control study in Gironde, France. [epidem.]
Int J Cancer 129 (6): 1477-1484

- 2011, Aydin D, Feychting M, Schüz J, Tynes T, Andersen TV, Schmidt LS, Poulsen AH, Johansen C, Prochazka M, Lannering B, Klæboe L, Eggen T, Jenni D, Grotzer M, Von der Weid N, Kuehni CE, Rösli M
[Details] Mobile phone use and brain tumors in children and adolescents: a multicenter case-control study. [epidem.]
J Natl Cancer Inst 103 (16): 1264-1276
- 2011, Dode AC, Leao MM, Tejo FD, Gomes AC, Dode DC, Dode MC, Moreira CW, Condessa VA, Albinatti C, Caiaffa WT
[Details] Mortality by neoplasia and cellular telephone base stations in the Belo Horizonte municipality, Minas Gerais state, Brazil. [epidem.]
Sci Total Environ 409 (19): 3649-3665
- 2011, Schüz J, Steding-Jessen M, Hansen S, Stangerup SE, Caye-Thomasen P, Poulsen AH, Olsen JH, Johansen C
[Details] Long-Term Mobile Phone Use and the Risk of Vestibular Schwannoma: A Danish Nationwide Cohort Study. [epidem.]
Am J Epidemiol 174 (4): 416-422
- 2011, Cardis E, Armstrong BK, Bowman JD, Giles GG, Hours M, Krewski D, McBride M, Parent ME, Sadetzki S, Woodward A, Brown J, Chetrit A, Figuerola J, Hoffmann C, Jarus-Hakak A, Montestrucq L, Nadon L, Richardson L, Villegas R, Vrijheid M
[Details] Risk of brain tumours in relation to estimated RF dose from mobile phones: results from five Interphone countries. [epidem.]
Occup Environ Med 68 (9): 631-640
- 2011, Larjavaara S, Schüz J, Swerdlow A, Feychting M, Johansen C, Lagorio S, Tynes T, Klæboe L, Tonjer SR, Blettner M, Berg-Beckhoff G, Schlehofer B, Schoemaker M, Britton J, Mäntylä R, Lönn S, Ahlbom A, Flodmark O, Lilja A, Martini S, Rastelli E, Vidiri A, Kähärä V, Raitanen J, Heinävaara S, Auvinen A
[Details] Location of Gliomas in Relation to Mobile Telephone Use: A Case-Case and Case-Specular Analysis. [epidem.]
Am J Epidemiol 174 (1): 2-11
- 2011, Hardell L, Carlberg M, Hansson Mild K
[Details] Pooled analysis of case-control studies on malignant brain tumours and the use of mobile and cordless phones including living and deceased subjects. [epidem.]
Int J Oncol 38 (5): 1465-1474
- 2011, de Vocht F, Burstyn I, Cherrie JW
[Details] Time trends (1998-2007) in brain cancer incidence rates in relation to mobile phone use in England. [epidem.]
Bioelectromagnetics 32 (5): 334-339
- 2011, Sato Y, Akiba S, Kubo O, Yamaguchi N
[Details] A case-case study of mobile phone use and acoustic neuroma risk in Japan. [epidem.]
Bioelectromagnetics 32 (2): 85-93

- 2011, Lehrer S, Green S, Stock RG
[Details] Association between number of cell phone contracts and brain tumor incidence in nineteen U.S. States. [epidem.]
J Neurooncol 101 (3): 505-507
- 2010, Inskip PD, Hoover RN, Devesa SS
[Details] Brain cancer incidence trends in relation to cellular telephone use in the United States. [epidem.]
Neuro Oncol 12 (11): 1147-1151
- 2010, Elliott P, Toledano MB, Bennett J, Beale L, de Hoogh K, Best N, Briggs DJ
[Details] Mobile phone base stations and early childhood cancers: case-control study. [epidem.]
BMJ 340: c3077
- 2010, Hardell L, Carlberg M, Hansson Mild K
[Details] Mobile Phone Use and the Risk for Malignant Brain Tumors: A Case-Control Study on Deceased Cases and Controls. [epidem.]
Neuroepidemiology 35 (2): 109-114
- 2010, INTERPHONE Study Group, Cardis E, Deltour I, Vrijheid M, Combalot E, Moissonnier M, Tardy H, Armstrong B, Giles G, Brown J, Siemiatycki J, Parent ME, Nadon L, Krewski D, McBride ML, Johansen C, Collatz Christensen H, Auvinen A, Kurttio P, Lahkola A, Salminen T, Hours M, Bernard M, Montestruq L, Schüz J, Berg-Beckhoff G, Schlehofer B, Blettner M, Sadetzki S, Chetrit A, Jarus-Hakak A, Lagorio S, Iavarone I, Takebayashi T, Yamaguchi N, Woodward A, Cook A, Pearce N, Tynes T, Blaasaas KG, Klæboe L, Feychting M, Lönn S, Ahlbom A, McKinney PA, Hepworth SJ, Muir KR, Swerdlow AJ, Schoemaker MJ
[Details] Brain tumour risk in relation to mobile telephone use: results of the INTERPHONE international case-control study. [epidem.]
Int J Epidemiol 39 (3): 675-694
- 2010, Spinelli V, Chinot O, Cabaniols C, Giorgi R, Alla P, Lehucher-Michel MP
[Details] Occupational and environmental risk factors for brain cancer: a pilot case-control study in France. [epidem.]
Presse Med 39 (2): e35-e44
- 2009, Deltour I, Johansen C, Auvinen A, Feychting M, Klæboe L, Schüz J
[Details] Time trends in brain tumor incidence rates in Denmark, Finland, Norway, and Sweden, 1974-2003. [epidem.]
J Natl Cancer Inst 101 (24): 1721-1724
- 2009, Myung SK, Ju W, McDonnell DD, Lee YJ, Kazinets G, Cheng CT, Moskowitz JM
[Details] Mobile phone use and risk of tumors: a meta-analysis. [epidem.]
J Clin Oncol 27 (33): 5565-5572
- 2009, Gousias K, Markou M, Voulgaris S, Goussia A, Voulgari P, Bai M, Polyzoidis K, Kyritsis A, Alamanos Y
[Details] Descriptive epidemiology of cerebral gliomas in northwest Greece and study of potential predisposing factors, 2005-2007. [epidem.]

Neuroepidemiology 33 (2): 89-95

- 2009, Hardell L, Carlberg M
[Details] Mobile phones, cordless phones and the risk for brain tumours. [epidem.]
Int J Oncol 35 (1): 5-17
- 2009, Hardell L, Carlberg M, Hansson Mild K
[Details] Epidemiological evidence for an association between use of wireless phones and tumor diseases. [epidem.]
Pathophysiology 16 (2-3): 113-122
- 2009, Schoemaker MJ, Swerdlow AJ
[Details] Risk of pituitary tumors in cellular phone users: a case-control study. [epidem.]
Epidemiology 20 (3): 348-354
- 2009, Eger H, Neppe F
[Details] Krebsinzidenz von Anwohnern im Umkreis einer Mobilfunksendeanlage in Westfalen - Interview-basierte Piloterhebung und Risikoschätzung [epidem.]
Umwelt-Medizin-Gesellschaft 22 (1): 55-60
- 2009, Hartikka H, Heinävaara S, Mäntylä R, Kähärä V, Kurttio P, Auvinen A
[Details] Mobile phone use and location of glioma: a case-case analysis. [epidem.]
Bioelectromagnetics 30 (3): 176-182
- 2008, Lahkola A, Salminen T, Raitanen J, Heinävaara S, Schoemaker MJ, Christensen HC, Feychting M, Johansen C, Kjaerboe L, Lönn S, Swerdlow AJ, Tynes T, Auvinen A
[Details] Meningioma and mobile phone use - a collaborative case-control study in five North European countries. [epidem.]
Int J Epidemiol 37 (6): 1304-13
- 2008, Hardell L, Carlberg M, Söderqvist F, Hansson Mild K
[Details] Meta-analysis of long-term mobile phone use and the association with brain tumours. [epidem.]
Int J Oncol 32 (5): 1097-1103
- 2008, Takebayashi T, Varsier N, Kikuchi Y, Wake K, Taki M, Watanabe S, Akiba S, Yamaguchi N
[Details] Mobile phone use, exposure to radiofrequency electromagnetic field, and brain tumour: a case-control study. [epidem.]
Br J Cancer 98 (3): 652-659
- 2008, Kan P, Simonsen SE, Lyon JL, Kestle JR
[Details] Cellular phone use and brain tumor: a meta-analysis. [epidem.]
J Neurooncol 86 (1): 71-78
- 2007, Schlehofer B, Schlaefer K, Blettner M, Berg G, Bohler E, Hettinger I, Kunna-Grass K, Wahrendorf J, Schüz J
[Details] Environmental risk factors for sporadic acoustic neuroma (Interphone Study Group, Germany). [epidem.]

- Eur J Cancer 43 (11): 1741-1747
- 2007, Klaeboe L, Blaasaas KG, Tynes T
[Details] Use of mobile phones in Norway and risk of intracranial tumours.
[epidem.]
Eur J Cancer Prev 16 (2): 158-164
 - 2007, Rösli M, Michel G, Kuehni CE, Spoerri A
[Details] Cellular telephone use and time trends in brain tumour mortality in Switzerland from 1969 to 2002. [epidem.]
Eur J Cancer Prev 16 (1): 77-82
 - 2007, Lahkola A, Auvinen A, Raitanen J, Schoemaker MJ, Christensen HC, Feychting M, Johansen C, Klaeboe L, Lönn S, Swerdlow AJ, Tynes T, Salminen T
[Details] Mobile phone use and risk of glioma in 5 North European countries.
[epidem.]
Int J Cancer 120 (8): 1769-1775
 - 2006, Salahaldin AH, Bener A
[Details] Long-term and frequent cellular phone use and risk of acoustic neuroma.
[epidem.]
Int Tinnitus J 12 (2): 145-148
 - 2006, Schüz J, Jacobsen R, Olsen J, Boice Jr JD, McLaughlin JK, Johansen C
[Details] Cellular telephone use and cancer risk: update of a nationwide Danish cohort. [epidem.]
J Natl Cancer Inst 98 (23): 1707-1713
 - 2006, Takebayashi T, Akiba S, Kikuchi Y, Taki M, Wake K, Watanabe S, Yamaguchi N
[Details] Mobile phone use and acoustic neuroma risk in Japan. [epidem.]
Occup Environ Med 63 (12): 802-807
 - 2006, Berg G, Spallek J, Schüz J, Schlehofer B, Bohler E, Schlaefel K, Hettinger I, Kunna-Grass K, Wahrendorf J, Blettner M
[Details] Occupational exposure to radio frequency/microwave radiation and the risk of brain tumors: Interphone Study Group, Germany. [epidem.]
Am J Epidemiol 164 (6): 538-548
 - 2006, Muscat JE, Hinselwood M, Malkin M
[Details] Mobile telephones and rates of brain cancer. [epidem.]
Neuroepidemiology 27 (1): 55-56
 - 2006, Lahkola A, Tokola K, Auvinen A
[Details] Meta-analysis of mobile phone use and intracranial tumors. [epidem.]
Scand J Work Environ Health 32 (3): 171-177
 - 2006, Meyer M, Gärtig-Daugis A, Radespiel-Tröger M
[Details] Mobilfunkbasisstationen und Krebshäufigkeit in Bayern. [epidem.]
Umweltmed Forsch Prax 11 (2): 89-97
 - 2006, Hardell L, Carlberg M, Hansson Mild K

- [Details] Pooled analysis of two case-control studies on use of cellular and cordless telephones and the risk for malignant brain tumours diagnosed in 1997-2003.
[epidem.]
Int Arch Occup Environ Health 79 (8): 630-639
- 2006, Nelson PD, Toledano MB, McConville J, Quinn MJ, Cooper N, Elliott P
[Details] Trends in acoustic neuroma and cellular phones: is there a link? [epidem.]
Neurology 66 (2): 284-285
 - 2006, Schüz J, Bohler E, Berg G, Schlehofer B, Hettinger I, Schlaefer K, Wahrendorf J, Kunna-Grass K, Blettner M
[Details] Cellular phones, cordless phones, and the risks of glioma and meningioma (Interphone Study Group, Germany). [epidem.]
Am J Epidemiol 163 (6): 512-520
 - 2006, Hepworth SJ, Schoemaker MJ, Muir KR, Swerdlow AJ, van Tongeren M, McKinney PA
[Details] Mobile phone use and risk of glioma in adults: case-control study.
[epidem.]
BMJ 332 (7546): 883-887
 - 2006, Hardell L, Carlberg M, Hansson Mild K
[Details] Pooled analysis of two case-control studies on the use of cellular and cordless telephones and the risk of benign brain tumours diagnosed during 1997-2003. [epidem.]
Int J Oncol 28 (2): 509-518
 - 2006, Hardell L, Carlberg M, Hansson Mild K
[Details] Case-control study of the association between the use of cellular and cordless telephones and malignant brain tumors diagnosed during 2000-2003.
[epidem.]
Environ Res 100 (2): 232-241
 - 2005, Schoemaker MJ, Swerdlow AJ, Ahlbom A, Auvinen A, Blaasaas KG, Cardis E, Christensen HC, Feychting M, Hepworth SJ, Johansen C, Klaeboe L, Lönn S, McKinney PA, Muir K, Raitanen J, Salminen T, Thomsen J, Tynes T
[Details] Mobile phone use and risk of acoustic neuroma: results of the Interphone case-control study in five North European countries. [epidem.]
Br J Cancer 93 (7): 842-848
 - 2005, Hardell L, Carlberg M, Hansson Mild K
[Details] Case-Control Study on Cellular and Cordless Telephones and the Risk for Acoustic Neuroma or Meningioma in Patients Diagnosed 2000-2003. [epidem.]
Neuroepidemiology 25 (3): 120-128
 - 2005, Hardell L, Carlberg M, Hansson Mild K
[Details] Use of cellular telephones and brain tumour risk in urban and rural areas.
[epidem.]
Occup Environ Med 62 (6): 390-394

- 2005, Christensen HC, Schüz J, Kosteljanetz M, Poulsen HS, Boice Jr JD, McLaughlin JK, Johansen C
[Details] Cellular telephones and risk for brain tumors: a population-based, incident case-control study. [epidem.]
Neurology 64 (7): 1189-1195
- 2005, Lönn S, Ahlbom A, Hall P, Feychting M
[Details] Long-term mobile phone use and brain tumor risk. [epidem.]
Am J Epidemiol 161 (6): 526-535
- 2004, Hardell L, Hansson Mild K, Carlberg M, Hallquist A
[Details] Cellular and cordless telephone use and the association with brain tumors in different age groups. [epidem.]
Arch Environ Health 59 (3): 132-137
- 2004, Lönn S, Ahlbom A, Hall P, Feychting M
[Details] Mobile Phone Use and the Risk of Acoustic Neuroma. [epidem.]
Epidemiology 15 (6): 653-659
- 2004, Lönn S, Klaeboe L, Hall P, Mathiesen T, Auvinen A, Christensen HC, Johansen C, Salminen T, Tynes T, Feychting M
[Details] Incidence trends of adult primary intracerebral tumors in four Nordic countries. [epidem.]
Int J Cancer 108 (3): 450-455
- 2004, Christensen HC, Schüz J, Kosteljanetz M, Poulsen HS, Thomsen J, Johansen C
[Details] Cellular telephone use and risk of acoustic neuroma. [epidem.]
Am J Epidemiol 159 (3): 277-283
- 2003, Ali Kahn A, O'Brien DF, Kelly P, Phillips JP, Rawluk D, Bolger C, Pidgeon CN
[Details] The anatomical distribution of cerebral gliomas in mobile phone users. [epidem.]
Ir Med J 96 (8): 240-242
- 2003, Cook A, Woodward A, Pearce N, Marshall C
[Details] Cellular telephone use and time trends for brain, head and neck tumours. [epidem.]
N Z Med J 116 (1175): U457
- 2003, Hardell L, Hansson Mild K, Carlberg M
[Details] Further aspects on cellular and cordless telephones and brain tumours. [epidem.]
Int J Oncol 22 (2): 399-407
- 2002, Hardell L, Hansson Mild K, Carlberg M
[Details] Case-control study on the use of cellular and cordless phones and the risk for malignant brain tumours. [epidem.]
Int J Radiat Biol 78 (10): 931-936
- 2002, Hardell L, Hallquist A, Hansson Mild K, Carlberg M, Pahlson A, Lilja A

- [Details] Cellular and cordless telephones and the risk for brain tumours. [epidem.]
Eur J Cancer Prev 11 (4): 377-386
- 2002, Muscat JE, Malkin MG, Shore RE, Thompson S, Neugut AI, Stellman SD, Bruce J
[Details] Handheld cellular telephones and risk of acoustic neuroma. [epidem.]
Neurology 58 (8): 1304-1306
 - 2002, Auvinen A, Hietanen M, Luukkonen R, Koskela RS
[Details] Brain tumors and salivary gland cancers among cellular telephone users. [epidem.]
Epidemiology 13 (3): 356-359
 - 2001, Hardell L, Hansson Mild K, Pahlson A, Hallquist A
[Details] Ionizing radiation, cellular telephones and the risk for brain tumours. [epidem.]
Eur J Cancer Prev 10 (6): 523-529
 - 2001, Johansen C, Boice Jr JD, McLaughlin J, Olsen J
[Details] Cellular telephones and cancer--a nationwide cohort study in Denmark. [epidem.]
J Natl Cancer Inst 93 (3): 203-207
 - 2001, Inskip PD, Tarone RE, Hatch EE, Wilcosky TC, Shapiro WR, Selker RG, Fine HA, Black PM, Loeffler JS, Linet MS
[Details] Cellular-telephone use and brain tumors. [epidem.]
N Engl J Med 344 (2): 79-86
 - 2000, Hardell L, Nasman A, Pahlson A, Hallquist A
[Details] Case-control study on radiology work, medical x-ray investigations, and use of cellular telephones as risk factors for brain tumors. [epidem.]
MedGenMed 2 (2): E2
 - 2000, Muscat JE, Malkin MG, Thompson S, Shore RE, Stellman SD, McRee D, Neugut AI, Wynder EL
[Details] Handheld cellular telephone use and risk of brain cancer. [epidem.]
JAMA 284 (23): 3001-3007
 - 1999, Dreyer NA, Loughlin JE, Rothman KJ
[Details] Cause-specific mortality in cellular telephone users. [epidem.]
JAMA 282 (19): 1814-1816
 - 1999, Hardell L, Nasman A, Pahlson A, Hallquist A, Hansson Mild K
[Details] Use of cellular telephones and the risk for brain tumours: A case-control study. [epidem.]
Int J Oncol 15 (1): 113-116

96 Studien: Sonstiges

- 2021, Cabré-Riera A, van Wel L, Liorni I, Thielens A, Birks LE, Pierotti L, Joseph W, González-Safont L, Ibarluzea J, Ferrero A, Huss A, Wiart J, Santa-Marina L, Torrent M, Vrijkotte T, Capstick M, Vermeulen R, Vrijheid M, Cardis E, Rösli M, Guxens M
[Details] Association between estimated whole-brain radiofrequency electromagnetic fields dose and cognitive function in preadolescents and adolescents. [epidem.]
Int J Hyg Environ Health 231: 113659
- 2020, Al-Khlaiwi TM, Habib SS, Meo SA, Alqhtani MS, Ogailan AA
The association of smart mobile phone usage with cognitive function impairment in Saudi adult population. [epidem.]
Pak J Med Sci 36 (7): 1628-1633
- 2020, Blay RM, Pinamang AD, Sagoe AE, Owusu EDA, Koney NK, Arko-Boham B
Influence of Lifestyle and Environmental Factors on Semen Quality in Ghanaian Men. [epidem.]
Int J Reprod Med 2020: 6908458
- 2020, Bektas H, Dasdag S, Bektas MS
Comparison of effects of 2.4 GHz Wi-Fi and mobile phone exposure on human placenta and cord blood [epidem.]
Biotechnol Biotechnol Equip 34 (1): 154-162
- 2020, Boileau N, Margueritte F, Gauthier T, Boukeffa N, Preux PM, Labrunie A, Aubard Y
Mobile phone use during pregnancy: which association with fetal growth? [epidem.]
J Gynecol Obstet Hum Reprod 49: 101852
- 2019, Brzozek C, Benke KK, Zeleke BM, Croft RJ, Dalecki A, Dimitriadis C, Kaufman J, Sim MR, Abramson MJ, Benke G
Uncertainty Analysis of Mobile Phone Use and Its Effect on Cognitive Function: The Application of Monte Carlo Simulation in a Cohort of Australian Primary School Children. [epidem.]
Int J Environ Res Public Health 16 (13): E2428
- 2019, Luna J, Leleu JP, Preux PM, Corcia P, Couratier P, Marin B, Boumediene F, Fralim Consortium
Residential exposure to ultra high frequency electromagnetic fields emitted by Global System for Mobile (GSM) antennas and amyotrophic lateral sclerosis incidence: A geo-epidemiological population-based study. [epidem.]
Environ Res 176: 108525
- 2019, Khaki-Khatibi F, Nourazarian A, Ahmadi F, Farhoudi M, Savadi-Oskouei D, Pourostadi M, Asgharzadeh M
Relationship between the use of electronic devices and susceptibility to multiple sclerosis. [epidem.]
Cogn Neurodyn 13 (3): 287-292

- 2019, Elliott P, Aresu M, Gao H, Vergnaud AC, Heard A, McRobie D, Spear J, Singh D, Kongsgård HW, Mbema C, Muller DC
Use of TETRA personal radios and sickness absence in the Airwave Health Monitoring Study of the British police forces. [epidem.]
Environ Res 175: 148-155
- 2019, Tsarna E, Reedijk M, Birks LE, Guxens M, Ballester F, Ha M, Jiménez-Zabala A, Kheifets L, Lertxundi A, Lim HR, Olsen J, González Safont L, Sudan M, Cardis E, Vrijheid M, Vrijkotte T, Huss A, Vermeulen R
Associations of Maternal Cell-Phone Use During Pregnancy With Pregnancy Duration and Fetal Growth in 4 Birth Cohorts. [epidem.]
Am J Epidemiol 188 (7): 1270-1280
- 2019, Palal D, Stalin P
Association between mobile phone usage and hypertension among adults in an urban area of Puducherry: a case control study. [epidem.]
J Public Health (Berl.) 27: 537-540
- 2019, Zarei S, Vahab M, Oryadi-Zanjani MM, Alighanbari N, Mortazavi SM
Mother's Exposure to Electromagnetic Fields before and during Pregnancy is Associated with Risk of Speech Problems in Offspring. [epidem.]
J Biomed Phys Eng 9 (1): 61-68
- 2019, Guxens M, Vermeulen R, Steenkamer I, Beekhuizen J, Vrijkotte TGM, Kromhout H, Huss A
Radiofrequency electromagnetic fields, screen time, and emotional and behavioural problems in 5-year-old children. [epidem.]
Int J Hyg Environ Health 222 (2): 188-194
- 2018, Martens AL, Slottje P, Smid T, Kromhout H, Vermeulen RCH, Timmermans DRM
Longitudinal associations between risk appraisal of base stations for mobile phones, radio or television and non-specific symptoms. [epidem.]
J Psychosom Res 112: 81-89
- 2018, Sudan M, Birks LE, Aurrekoetxea JJ, Ferrero A, Gallastegi M, Guxens M, Ha M, Lim H, Olsen J, González-Safont L, Vrijheid M, Kheifets L
Maternal cell phone use during pregnancy and child cognition at age 5 years in 3 birth cohorts. [epidem.]
Environ Int 120: 155-162
- 2018, Foerster M, Thielens A, Joseph W, Eeftens M, Röösli M
A Prospective Cohort Study of Adolescents' Memory Performance and Individual Brain Dose of Microwave Radiation from Wireless Communication. [epidem.]
Environ Health Perspect 126 (7): 077007
- 2018, Shi X, Chan CPS, Waters T, Chi L, Chan DYL, Li TC
Lifestyle and demographic factors associated with human semen quality and sperm function. [epidem.]
Syst Biol Reprod Med 64 (5): 358-367

- 2018, Martens AL, Reedijk M, Smid T, Huss A, Timmermans D, Strak M, Swart W, Lenters V, Kromhout H, Verheij R, Slottje P, Vermeulen RCH
Modeled and perceived RF-EMF, noise and air pollution and symptoms in a population cohort. Is perception key in predicting symptoms? [epidem.]
Sci Total Environ 639: 75-83
- 2018, Schauer I, Mohamad Al-Ali B
[Details] Combined effects of varicocele and cell phones on semen and hormonal parameters. [epidem.]
Wien Klin Wochenschr 130 (9-10): 335-340
- 2017, Al-Bayyari N
The effect of cell phone usage on semen quality and fertility among Jordanian males. [epidem.]
Middle East Fertil Soc J 22 (3): 178-182
- 2017, Baby NM, Koshy G, Mathew A
The Effect of Electromagnetic Radiation due to Mobile Phone Use on Thyroid Function in Medical Students Studying in a Medical College in South India. [epidem.]
Indian J Endocrinol Metab 21 (6): 797-802
- 2017, Wang J, Su H, Xie W, Yu S
[Details] Mobile Phone Use and The Risk of Headache: A Systematic Review and Meta-analysis of Cross-sectional Studies. [epidem.]
Sci Rep 7 (1): 12595
- 2017, Papadopoulou E, Haugen M, Schjølberg S, Magnus P, Brunborg G, Vrijheid M, Alexander J
[Details] Maternal cell phone use in early pregnancy and child's language, communication and motor skills at 3 and 5 years: the Norwegian mother and child cohort study (MoBa). [epidem.]
BMC Public Health 17 (1): 685
- 2017, Zothansiam, Zosangzuali M, Lalramdinpuii M, Jagetia GC
Impact of radiofrequency radiation on DNA damage and antioxidants in peripheral blood lymphocytes of humans residing in the vicinity of mobile phone base stations. [epidem.]
Electromagn Biol Med 36 (3): 295-305
- 2017, Bhatt CR, Benke G, Smith CL, Redmayne M, Dimitriadis C, Dalecki A, Macleod S, Sim MR, Croft RJ, Wolfe R, Kaufman J, Abramson MJ
[Details] Use of mobile and cordless phones and change in cognitive function: a prospective cohort analysis of Australian primary school children. [epidem.]
Environ Health 16 (1): 62
- 2017, Choi KH, Ha M, Ha EH, Park H, Kim Y, Hong YC, Lee AK, Hwa Kwon J, Choi HD, Kim N, Kim S, Park C
[Details] Neurodevelopment for the first three years following prenatal mobile phone use, radio frequency radiation and lead exposure. [epidem.]

Environ Res 156: 810-817

- 2017, Birks L, Guxens M, Papadopoulou E, Alexander J, Ballester F, Estarlich M, Gallastegi M, Ha M, Haugen M, Huss A, Kheifets L, Lim H, Olsen J, Santa-Marina L, Sudan M, Vermeulen R, Vrijkotte T, Cardis E, Vrijheid M

[Details] Maternal cell phone use during pregnancy and child behavioral problems in five birth cohorts. [epidem.]

Environ Int 104: 122-131

- 2017, Lewis RC, Minguez-Alarcon L, Meeker JD, Williams PL, Mezei G, Ford JB, Hauser R

[Details] Self-reported mobile phone use and semen parameters among men from a fertility clinic. [epidem.]

Reprod Toxicol 67: 42-47

- 2017, Zhou LY, Zhang HX, Lan YL, Li Y, Liang Y, Yu L, Ma YM, Jia CW, Wang SY
Epidemiological investigation of risk factors of the pregnant women with early spontaneous abortion in Beijing. [epidem.]

Chin J Integr Med 23 (5): 345-349

- 2016, Elsayed NM, Jastaniah SD

Mobile Phone Use and Risk of Thyroid Gland Lesions Detected by Ultrasonography. [epidem.]

Open J Radiol 6 (2): 140-146

- 2016, Al-Quzwini OF, Al-Tae HA, Al-Shaikh SF

Male fertility and its association with occupational and mobile phone towers hazards: An analytic study. [epidem.]

Middle East Fertil Soc J 21 (4): 236-240

- 2016, Sudan M, Olsen J, Arah OA, Obel C, Kheifets L

Prospective cohort analysis of cellphone use and emotional and behavioural difficulties in children. [epidem.]

J Epidemiol Community Health 70 (12): 1207-1213

- 2016, Mohammadianinejad SE, Babaei M, Nazari P

The Effects of Exposure to Low Frequency Electromagnetic Fields in the Treatment of Migraine Headache: A Cohort Study. [epidem.]

Electron Physician 8 (12): 3445-3449

- 2016, Guxens M, Vermeulen R, van Eijsden M, Beekhuizen J, Vrijkotte TG, van Strien RT, Kromhout H, Huss A

[Details] Outdoor and indoor sources of residential radiofrequency electromagnetic fields, personal cell phone and cordless phone use, and cognitive function in 5-6 years old children. [epidem.]

Environ Res 150: 364-74

- 2016, Abad M, Malekafzali H, Simbar M, Seyed Mosaavi H, Merghati Khoei E

[Details] Association between electromagnetic field exposure and abortion in pregnant women living in Tehran. [epidem.]

Int J Reprod Biomed (Yazd) 14 (5): 347-354

- 2016, Hwang Y, Kang S, Kim M, Kim TS, Seo J, Ahn H, Yoon S, Yun JP, Lee YL, Ham H, Yu HG, Park SK
[Details] Association between Exposure to Smartphones and Ocular Health in Adolescents. [epidem.]
Ophthalmic Epidemiol 23 (4): 269-276
- 2016, Kjellqvist A, Palmquist E, Nordin S
[Details] Psychological symptoms and health-related quality of life in idiopathic environmental intolerance attributed to electromagnetic fields. [epidem.]
J Psychosom Res 84: 8-12
- 2016, Radwan M, Jurewicz J, Merecz-Kot D, Sobala W, Radwan P, Bochenek M, Hanke W
[Details] Sperm DNA damage - the effect of stress and everyday life factors. [epidem.]
Int J Impot Res 28 (4): 148-154
- 2016, Singh K, Nagaraj A, Yousuf A, Ganta S, Pareek S, Vishnani P
[Details] Effect of electromagnetic radiations from mobile phone base stations on general health and salivary function. [epidem.]
J Int Soc Prev Community Dent 6 (1): 54-59
- 2016, Zhang G, Yan H, Chen Q, Liu K, Ling X, Sun L, Zhou N, Wang Z, Zou P, Wang X, Tan L, Cui Z, Zhou Z, Liu J, Ao L, Cao J
[Details] Effects of cell phone use on semen parameters: results from the MARHCS cohort study in Chongqing, China. [epidem.]
Environ Int 91: 116-121
- 2016, Redmayne M, Smith CL, Benke G, Croft RJ, Dalecki A, Dimitriadis C, Kaufman J, Macleod S, Sim MR, Wolfe R, Abramson MJ
[Details] Use of mobile and cordless phones and cognition in Australian primary school children: a prospective cohort study. [epidem.]
Environ Health 15: 26
- 2016, Calvente I, Perez-Lobato R, Nunez MI, Ramos R, Guxens M, Villalba J, Olea N, Fernandez MF
[Details] Does exposure to environmental radiofrequency electromagnetic fields cause cognitive and behavioral effects in 10-year-old boys? [epidem.]
Bioelectromagnetics 37 (1): 25-36
- 2016, Wang Z, Wang L, Zheng S, Ding Z, Liu H, Jin W, Pan Y, Chen Z, Fei Y, Chen G, Xu Z, Yu Y
[Details] Effects of electromagnetic fields on serum lipids in workers of a power plant. [epidem.]
Environ Sci Pollut Res Int 23 (3): 2495-2504
- 2016, Wang Z, Fei Y, Liu H, Zheng S, Ding Z, Jin W, Pan Y, Chen Z, Wang L, Chen G, Xu Z, Zhu Y, Yu Y

- [Details] Effects of electromagnetic fields exposure on plasma hormonal and inflammatory pathway biomarkers in male workers of a power plant. [epidem.]
Int Arch Occup Environ Health 89 (1): 33-42
- 2015, Meo SA, Alsubaie Y, Almubarak Z, Almutawa H, AlQasem Y, Hasanato RM
[Details] Association of Exposure to Radio-Frequency Electromagnetic Field Radiation (RF-EMFR) Generated by Mobile Phone Base Stations with Glycated Hemoglobin (HbA1c) and Risk of Type 2 Diabetes Mellitus. [epidem.]
Int J Environ Res Public Health 12 (11): 14519-14528
 - 2015, Schoeni A, Roser K, Rösli M
[Details] Memory performance, wireless communication and exposure to radiofrequency electromagnetic fields: A prospective cohort study in adolescents. [epidem.]
Environ Int 85: 343-351
 - 2015, Zarei S, Mortazavi SMJ, Mehdizadeh AR, Jalalipour M, Borzou S, Taeb S, Haghani M, Mortazavi SAR, Shojaei-fard MB, Nematollahi S, Alighanbari N, Jarideh S
[Details] A Challenging Issue in the Etiology of Speech Problems: The Effect of Maternal Exposure to Electromagnetic Fields on Speech Problems in the Offspring. [epidem.]
J Biomed Phys Eng 5 (3): 151-154
 - 2015, Yildirim ME, Kaynar M, Badem H, Cavis M, Karatas OF, Cimentepe E
[Details] What is harmful for male fertility: Cell phone or the wireless internet? [epidem.]
Kaohsiung J Med Sci 31 (9): 480-484
 - 2015, Zilberlicht A, Wiener-Megnazi Z, Sheinfeld Y, Grach B, Lahav-Baratz S, Dirnfeld M
[Details] Habits of cell phone usage and sperm quality - does it warrant attention? [epidem.]
Reprod Biomed Online 31 (3): 421-426
 - 2015, Mahmoudabadi FS, Ziaei S, Firoozabadi M, Kazemnejad A
[Details] Use of mobile phone during pregnancy and the risk of spontaneous abortion. [epidem.]
J Environ Health Sci Eng 13: 34
 - 2015, Baste V, Oftedal G, Mollerlokken OJ, Mild KH, Moen BE
[Details] Prospective study of pregnancy outcomes after parental cell phone exposure: the Norwegian Mother and Child Cohort Study. [epidem.]
Epidemiology 26 (4): 613-621
 - 2015, Gandhi G, Kaur G, Nisar U
[Details] A cross-sectional case control study on genetic damage in individuals residing in the vicinity of a mobile phone base station. [epidem.]
Electromagn Biol Med 34 (4): 344-354
 - 2014, Pachau L, Sailo L, Pachau Z, Lalngneia PC

- RF radiation from mobile phone towers and their effects on human body. [epidem.]
Indian Journal of Radio & Space Physics 43 (2): 186-189
- 2014, Carlberg M, Hardell L
[Details] Decreased Survival of Glioma Patients with Astrocytoma Grade IV (Glioblastoma Multiforme) Associated with Long-Term Use of Mobile and Cordless Phones. [epidem.]
Int J Environ Res Public Health 11 (10): 10790-10805
 - 2014, Tan TC, Neo GH, Malhotra R, Allen JC, Lie D, Østbye T
[Details] Lifestyle Risk Factors Associated with Threatened Miscarriage: A Case-Control Study. [epidem.]
J Fertil In Vitro IVF Worldw Reprod Med Genet Stem Cell Biol 2 (2): 100123
 - 2014, Jurewicz J, Radwan M, Sobala W, Ligocka D, Radwan P, Bochenek M, Hanke W
Lifestyle and semen quality: role of modifiable risk factors. [epidem.]
Syst Biol Reprod Med 60 (1): 43-51
 - 2014, van Dongen D, Smid T, Timmermans DR
Symptom attribution and risk perception in individuals with idiopathic environmental intolerance to electromagnetic fields and in the general population. [epidem.]
Perspect Public Health 134 (3): 160-168
 - 2013, Redmayne M, Smith E, Abramson MJ
[Details] The relationship between adolescents' well-being and their wireless phone use: a cross-sectional study. [epidem.]
Environ Health 12: 90
 - 2013, Col-Araz N
[Details] Evaluation of factors affecting birth weight and preterm birth in southern Turkey. [epidem.]
J Pak Med Assoc 63 (4): 459-462
 - 2013, Hardell L, Carlberg M
[Details] Use of mobile and cordless phones and survival of patients with glioma. [epidem.]
Neuroepidemiology 40 (2): 101-108
 - 2013, Mortazavi SM, Shirazi KR, Mortazavi G
[Details] The study of the effects of ionizing and non-ionizing radiations on birth weight of newborns to exposed mothers. [epidem.]
J Nat Sci Biol Med 4 (1): 213-217
 - 2012, Söderqvist F, Carlberg M, Zetterberg H, Hardell L
[Details] Use of wireless phones and serum beta-trace protein in randomly recruited persons aged 18-65 years: a cross-sectional study. [epidem.]
Electromagn Biol Med 31 (4): 416-424
 - 2012, Ros-Llor I, Sanchez-Siles M, Camacho-Alonso F, Lopez-Jornet P

- [Details] Effect of mobile phones on micronucleus frequency in human exfoliated oral mucosal cells. [epidem.]
Oral Dis 18 (8): 786-792
- 2012, Poulsen AH, Stenager E, Johansen C, Bentzen J, Friis S, Schüz J
[Details] Mobile phones and multiple sclerosis - a nationwide cohort study in denmark. [epidem.]
PLoS One 7 (4): e34453
 - 2012, Bortkiewicz A, Gadzicka E, Szyjewska A, Politanski P, Mamrot P, Szymczak W, Zmyslony M
[Details] Subjective complaints of people living near mobile phone base stations in Poland. [epidem.]
Int J Occup Med Environ Health 25 (1): 31-40
 - 2012, Ng TP, Lim ML, Niti M, Collinson S
[Details] Long-term digital mobile phone use and cognitive decline in the elderly. [epidem.]
Bioelectromagnetics 33 (2): 176-185
 - 2012, Divan HA, Kheifets L, Obel C, Olsen J
[Details] Cell phone use and behavioural problems in young children. [epidem.]
J Epidemiol Community Health 66 (6): 524-529
 - 2011, Al-Chalabi SS, Al-Wattar YT
Effect of mobile phone usage on semen analysis in infertile men. [epidem.]
Tikrit J Pharm Sci 7 (1): 77-82
 - 2011, Suresh S, Sabanayagam C, Kalidindi S, Shankar A
[Details] Cell-Phone Use and Self-Reported Hypertension: National Health Interview Survey 2008. [epidem.]
Int J Hypertens: 360415
 - 2011, Panda NK, Modi R, Munjal S, Virk RS
[Details] Auditory changes in mobile users: is evidence forthcoming? [epidem.]
Otolaryngol Head Neck Surg 144 (4): 581-585
 - 2011, Divan HA, Kheifets L, Olsen J
[Details] Prenatal cell phone use and developmental milestone delays among infants. [epidem.]
Scand J Work Environ Health 37 (4): 341-348
 - 2011, Saravi FD
[Details] Asymmetries in hip mineralization in mobile cellular phone users. [epidem.]
J Craniofac Surg 22 (2): 706-710
 - 2011, Buchner K, Eger H
[Details] Veränderung klinisch bedeutsamer Neurotransmitter unter dem Einfluss modulierter hochfrequenter Felder - Eine Langzeiterhebung unter lebensnahen Bedingungen. [epidem.]

Umwelt-Medizin-Gesellschaft 24 (1): 44-57

- 2010, Thomas S, Benke G, Dimitriadis C, Inyang I, Sim MR, Wolfe R, Croft RJ, Abramson MJ
[Details] Use of mobile phones and changes in cognitive function in adolescents. [epidem.]
Occup Environ Med 67 (12): 861-866
- 2010, Hardell L, Söderqvist F, Carlberg M, Zetterberg H, Hansson Mild K
[Details] Exposure to wireless phone emissions and serum beta-trace protein. [epidem.]
Int J Mol Med 26 (2): 301-306
- 2010, Breckenkamp J, Blettner M, Kowall B, Schüz J, Schlehofer B, Schmiedel S, Bornkessel C, Reis U, Potthoff P, Berg-Beckhoff G
[Details] Ergebnisse einer Querschnittsstudie zum Zusammenhang von elektromagnetischen Feldern von Mobilfunksendeanlagen und unspezifischen gesundheitlichen Beschwerden. [epidem.]
Umweltmed Forsch Prax 15 (3): 159-166
- 2010, Panda NK, Jain R, Bakshi J, Munjal S
[Details] Audiologic disturbances in long-term mobile phone users. [epidem.]
J Otolaryngol Head Neck Surg 39 (1): 5-11
- 2010, Vrijheid M, Martinez D, Fornes J, Guxens M, Julvez J, Ferrer M, Sunyer J
[Details] Prenatal exposure to cell phone use and neurodevelopment at 14 months. [epidem.]
Epidemiology 21 (2): 259-262
- 2010, Thomas S, Heinrich S, von Kries R, Radon K
[Details] Exposure to radio-frequency electromagnetic fields and behavioural problems in Bavarian children and adolescents. [epidem.]
Eur J Epidemiol 25 (2): 135-141
- 2009, Augner C, Hacker GW
[Details] Are people living next to mobile phone base stations more strained? Relationship of health concerns, self-estimated distance to base station, and psychological parameters. [epidem.]
Indian J Occup Environ Med 13 (3): 141-145
- 2009, Abramson MJ, Benke GP, Dimitriadis C, Inyang IO, Sim MR, Wolfe RS, Croft RJ
[Details] Mobile telephone use is associated with changes in cognitive function in young adolescents. [epidem.]
Bioelectromagnetics 30 (8): 678-686
- 2009, Söderqvist F, Carlberg M, Hardell L
[Details] Mobile and cordless telephones, serum transthyretin and the blood-cerebrospinal fluid barrier: a cross-sectional study. [epidem.]
Environ Health 8 (1): 19-1-19-12

- 2009, Berg-Beckhoff G, Blettner M, Kowall B, Breckenkamp J, Schlehofer B, Schmiedel S, Bornkessel C, Reis U, Potthoff P, Schüz J
[Details] Mobile phone base stations and adverse health effects: phase 2 of a cross-sectional study with measured radio frequency electromagnetic fields. [epidem.]
Occup Environ Med 66 (2): 124-130
- 2009, Söderqvist F, Carlberg M, Hardell L
[Details] Use of wireless telephones and serum S100B levels: a descriptive cross-sectional study among healthy Swedish adults aged 18-65 years. [epidem.]
Sci Total Environ 407 (2): 798-805
- 2008, Khan MM
[Details] Adverse effects of excessive mobile phone use. [epidem.]
Int J Occup Med Environ Health 21 (4): 289-293
- 2008, Kücer N
[Details] Some ocular symptoms experienced by users of mobile phones. [epidem.]
Electromagn Biol Med 27 (2): 205-209
- 2008, Divan HA, Kheifets L, Obel C, Olsen J
[Details] Prenatal and postnatal exposure to cell phone use and behavioral problems in children. [epidem.]
Epidemiology 19 (4): 523-529
- 2007, Schüz J, Waldemar G, Olsen J, Johansen C
[Details] Risks for central nervous system diseases among mobile phone subscribers: a Danish retrospective cohort study. [epidem.]
PLoS One 2 (10): e4389
- 2007, Arns M, Van Luijckelaar G, Sumich A, Hamilton R, Gordon E
[Details] Electroencephalographic, personality, and executive function measures associated with frequent mobile phone use. [epidem.]
Int J Neurosci 117 (9): 1341-1360
- 2007, Hallberg Ö
[Details] Adverse health indicators correlating with sparsely populated areas in Sweden. [epidem.]
Eur J Cancer Prev 16 (1): 71-76
- 2004, Bergamaschi A, Magrini A, Ales G, Coppeta L, Somma G
Are thyroid dysfunctions related to stress or microwave exposure (900 MHz)?
[epidem.]
Int J Immunopathol Pharmacol 17 (2) Suppl: 31-36
- 2004, Hallberg O, Johansson O
[Details] Mobile Handset Output Power and Health. [epidem.]
Electromagn Biol Med 23 (3): 229-239
- 2000, Oftedal G, Wilen J, Sandström M, Hansson Mild K
[Details] Symptoms experienced in connection with mobile phone use. [epidem.]

Occup Med (Lond) 50 (4): 237-245

- 2000, Chia SE, Chia HP, Tan JS
[Details] Prevalence of headache among handheld cellular telephone users in Singapore: a community study. [epidem.]
Environ Health Perspect 108 (11): 1059-1062
- 1999, Dreyer NA, Loughlin JE, Rothman KJ
[Details] Cause-specific mortality in cellular telephone users. [epidem.]
JAMA 282 (19): 1814-1816
- 1996, Rothman KJ, Loughlin JE, Funch DP, Dreyer NA
[Details] Overall mortality of cellular telephone customers. [epidem.]
Epidemiology 7 (3): 303-305

86 Studien: Elektrosensibilität /Wohlbefinden/subjektive Beschwerden

- 2020, Martin S, De Giudici P, Genier JC, Cassagne E, Doré JF, Ducimetière P, Evrard AS, Letertre T, Ségala C
Health disturbances and exposure to radiofrequency electromagnetic fields from mobile-phone base stations in French urban areas. [epidem.]
Environ Res: 110583 [im Druck]
- 2020, Tettamanti G, Auvinen A, Åkerstedt T, Kojo K, Ahlbom A, Heinävaara S, Elliott P, Schüz J, Deltour I, Kromhout H, Toledano MB, Poulsen AH, Johansen C, Vermeulen R, Feychting M, Hillert L, COSMOS Study Group
Long-term effect of mobile phone use on sleep quality: Results from the cohort study of mobile phone use and health (COSMOS). [epidem.]
Environ Int 140: 105687
- 2019, Auvinen A, Feychting M, Ahlbom A, Hillert L, Elliott P, Schüz J, Kromhout H, Toledano MB, Johansen C, Poulsen AH, Vermeulen R, Heinävaara S, Kojo K, Tettamanti G, COSMOS Study Group
Headache, tinnitus and hearing loss in the international Cohort Study of Mobile Phone Use and Health (COSMOS) in Sweden and Finland. [epidem.]
Int J Epidemiol 48 (5): 1567-1579
- 2019, Cabré-Riera A, Torrent M, Donaire-Gonzalez D, Vrijheid M, Cardis E, Guxens M
Telecommunication devices use, screen time and sleep in adolescents. [epidem.]
Environ Res 171: 341-347
- 2019, Liu S, Wing YK, Hao Y, Li W, Zhang J, Zhang B
The associations of long-time mobile phone use with sleep disturbances and mental distress in technical college students: a prospective cohort study. [epidem.]
Sleep 42 (2)
- 2018, Martens AL, Slottje P, Smid T, Kromhout H, Vermeulen RCH, Timmermans DRM
Longitudinal associations between risk appraisal of base stations for mobile phones, radio or television and non-specific symptoms. [epidem.]
J Psychosom Res 112: 81-89
- 2018, Martens AL, Reedijk M, Smid T, Huss A, Timmermans D, Strak M, Swart W, Lenters V, Kromhout H, Verheij R, Slottje P, Vermeulen RCH
Modeled and perceived RF-EMF, noise and air pollution and symptoms in a population cohort. Is perception key in predicting symptoms? [epidem.]
Sci Total Environ 639: 75-83
- 2018, Višnjić A, Veličković V, Sokolović D, Stanković M, Mijatović K, Stojanović M, Milošević Z, Radulović O
Relationship between the Manner of Mobile Phone Use and Depression, Anxiety, and Stress in University Students. [epidem.]
Int J Environ Res Public Health 15 (4): 697

- 2018, Claeson AS, Palmquist E, Nordin S
Physical and chemical trigger factors in environmental intolerance. [epidem.]
Int J Hyg Environ Health 221 (3): 586-592
- 2018, Huang PC, Cheng MT, Guo HR
Representative survey on idiopathic environmental intolerance attributed to electromagnetic fields in Taiwan and comparison with the international literature. [epidem.]
Environ Health 17 (1): 5
- 2018, Sagiv D, Migirov L, Madgar O, Nakache G, Wolf M, Shapira Y
Mobile phone usage does not affect sudden sensorineural hearing loss. [epidem.]
J Laryngol Otol 132 (1): 29-32
- 2017, Durusoy R, Hassoy H, Özkurt A, Karababa AO
[Details] Mobile phone use, school electromagnetic field levels and related symptoms: a cross-sectional survey among 2150 high school students in Izmir. [epidem.]
Environ Health 16 (1): 51
- 2017, Martens AL, Slottje P, Timmermans DRM, Kromhout H, Reedijk M, Vermeulen RCH, Smid T
[Details] Modeled and Perceived Exposure to Radiofrequency Electromagnetic Fields From Mobile-Phone Base Stations and the Development of Symptoms Over Time in a General Population Cohort. [epidem.]
Am J Epidemiol 186 (2): 210-219
- 2017, Cho YM, Lim HJ, Jang H, Kim K, Choi JW, Shin C, Lee SK, Kwon JH, Kim N
[Details] A follow-up study of the association between mobile phone use and symptoms of ill health. [epidem.]
Environ Health Toxicol 32: e2017001
- 2017, Schoeni A, Roser K, Rösli M
[Details] Symptoms and the use of wireless communication devices: a prospective cohort study in Swiss adolescents. [epidem.]
Environ Res 154: 275-283
- 2017, Nagarjunakonda S, Amalakanti S, Uppala V, Gajula RK, Tata RS, Bolla HB, Rajanala L, Athina S, Daggumati R, Lavu H, Devanaboina AK
[Details] Mobile phones and seizures: drug-resistant epilepsy is less common in mobile-phone-using patients. [epidem.]
Postgrad Med J 93 (1095): 25-28
- 2016, Cho YM, Lim HJ, Jang H, Kim K, Choi JW, Shin C, Lee SK, Kwon JH, Kim N
[Details] A cross-sectional study of the association between mobile phone use and symptoms of ill health. [epidem.]
Environ Health Toxicol 31: e2016022
- 2016, Roser K, Schoeni A, Rösli M

- [Details] Mobile phone use, behavioural problems and concentration capacity in adolescents: A prospective study. [epidem.]
Int J Hyg Environ Health 219 (8): 759-769
- 2016, Schoeni A, Roser K, Bürgi A, Rösli M
[Details] Symptoms in Swiss adolescents in relation to exposure from fixed site transmitters: a prospective cohort study. [epidem.]
Environ Health 15 (1): 77
 - 2016, Baliatsas C, van Kamp I, Bolte J, Kelfkens G, van Dijk C, Spreeuwenberg P, Hooiveld M, Lebet E, Yzermans J
[Details] Clinically defined non-specific symptoms in the vicinity of mobile phone base stations: A retrospective before-after study. [epidem.]
Sci Total Environ 565: 714-720
 - 2016, Singh K, Nagaraj A, Yousuf A, Ganta S, Pareek S, Vishnani P
[Details] Effect of electromagnetic radiations from mobile phone base stations on general health and salivary function. [epidem.]
J Int Soc Prev Community Dent 6 (1): 54-59
 - 2016, Eyvazlou M, Zarei E, Rahimi A, Abazari M
[Details] Association between overuse of mobile phones on quality of sleep and general health among occupational health and safety students. [epidem.]
Chronobiol Int 33 (3): 293-300
 - 2016, Stalin P, Abraham SB, Kanimozhy K, Prasad RV, Singh Z, Purty AJ
[Details] Mobile Phone Usage and its Health Effects Among Adults in a Semi-Urban Area of Southern India. [epidem.]
J Clin Diagn Res 10 (1): LC14-LC16
 - 2015, Silva DF, Barros WR, Almeida MD, Rego MA
[Details] Exposure to non-ionizing electromagnetic radiation from mobile telephony and the association with psychiatric symptoms. [epidem.]
Cad Saude Publica 31 (10): 2110-2126
 - 2015, Huss A, van Eijdsen M, Guxens M, Beekhuizen J, van Strien R, Kromhout H, Vrijkotte T, Vermeulen R
[Details] Environmental Radiofrequency Electromagnetic Fields Exposure at Home, Mobile and Cordless Phone Use, and Sleep Problems in 7-Year-Old Children. [epidem.]
PLoS One 10 (10): e0139869
 - 2015, Zheng F, Gao P, He M, Li M, Tan J, Chen D, Zhou Z, Yu Z, Zhang L
[Details] Association between mobile phone use and self-reported well-being in children: a questionnaire-based cross-sectional study in Chongqing, China. [epidem.]
BMJ Open 5 (5): e007302
 - 2015, Baliatsas C, Bolte J, Yzermans J, Kelfkens G, Hooiveld M, Lebet E, van Kamp I

- [Details] Actual and perceived exposure to electromagnetic fields and non-specific physical symptoms: an epidemiological study based on self-reported data and electronic medical records. [epidem.]
Int J Hyg Environ Health 218 (3): 331-344
- 2015, Chiu CT, Chang YH, Chen CC, Ko MC, Li CY
[Details] Mobile phone use and health symptoms in children. [epidem.]
J Formos Med Assoc 114 (7): 598-604
 - 2014, Pachua L, Sailo L, Pachua Z, Lalngneia PC
RF radiation from mobile phone towers and their effects on human body. [epidem.]
Indian Journal of Radio & Space Physics 43 (2): 186-189
 - 2014, Islam SMS
Awareness and Self-Reported Health Hazards of Electromagnetic Waves from Mobile Phone Towers in Dhaka, Bangladesh: A Pilot Study. [epidem.]
Adv Public Health: 952832
 - 2014, Saxena Y, Shrivastava A, Priyanka S
[Details] Mobile usage and sleep patterns among medical students. [epidem.]
Indian J Physiol Pharmacol 58 (1): 100-103
 - 2014, Liu H, Chen G, Pan Y, Chen Z, Jin W, Sun C, Chen C, Dong X, Chen K, Xu Z, Zhang S, Yu Y
[Details] Occupational electromagnetic field exposures associated with sleep quality: a cross-sectional study. [epidem.]
PLoS One 9 (10): e110825
 - 2014, Zheng F, Gao P, He M, Li M, Wang C, Zeng Q, Zhou Z, Yu Z, Zhang L
[Details] Association between mobile phone use and inattention in 7102 Chinese adolescents: a population-based cross-sectional study. [epidem.]
BMC Public Health 14: 1022-1-1022-7
 - 2014, Suleiman A, Gee TT, Krishnapillai AD, Khalil AM, Hamid MWA, Mustapa M
Electromagnetic Radiation Health Effects in Exposed and Non-Exposed Residents in Penang. [epidem.]
GEP 2: 77-83
 - 2014, Szyjowska A, Gadzicka E, Szymczak W, Bortkiewicz A
The risk of subjective symptoms in mobile phone users in Poland - An epidemiological study. [epidem.]
Int J Occup Med Environ Health 27 (2): 293-303
 - 2014, Baliatsas C, van Kamp I, Hooiveld M, Yzermans J, Lebrete E
[Details] Comparing non-specific physical symptoms in environmentally sensitive patients: prevalence, duration, functional status and illness behavior. [epidem.]
J Psychosom Res 76 (5): 405-413
 - 2014, van Dongen D, Smid T, Timmermans DR

Symptom attribution and risk perception in individuals with idiopathic environmental intolerance to electromagnetic fields and in the general population. [epidem.]

Perspect Public Health 134 (3): 160-168

- 2014, Kücer N, Pamukcu T
[Details] Self-reported symptoms associated with exposure to electromagnetic fields: a questionnaire study. [epidem.]
Electromagn Biol Med 33 (1): 15-17
- 2013, Gomez-Perretta C, Navarro EA, Segura J, Portoles M
[Details] Subjective symptoms related to GSM radiation from mobile phone base stations: a cross-sectional study. [epidem.]
BMJ Open 3 (12): e003836
- 2013, Sudan M, Kheifets L, Arah OA, Olsen J
[Details] Cell phone exposures and hearing loss in children in the Danish National Birth Cohort. [epidem.]
Paediatr Perinat Epidemiol 27 (3): 247-257
- 2013, Hagström M, Auranen J, Ekman R
[Details] Electromagnetic hypersensitive Finns: Symptoms, perceived sources and treatments, a questionnaire study. [epidem.]
Pathophysiology 20 (2): 117-122
- 2013, Byun YH, Ha M, Kwon HJ, Hong YC, Leem JH, Sakong J, Kim SY, Lee CG, Kang D, Choi HD, Kim N
[Details] Mobile phone use, blood lead levels, and attention deficit hyperactivity symptoms in children: a longitudinal study. [epidem.]
PLoS One 8 (3): e59742
- 2013, Guxens M, van Eijsden M, Vermeulen R, Loomans E, Vrijkotte TG, Komhout H, van Strien RT, Huss A
[Details] Maternal cell phone and cordless phone use during pregnancy and behaviour problems in 5-year-old children. [epidem.]
J Epidemiol Community Health 67 (5): 432-438
- 2012, Sudan M, Kheifets L, Arah O, Olsen J, Zeltzer L
[Details] Prenatal and Postnatal Cell Phone Exposures and Headaches in Children. [epidem.]
Open Pediatr Med Journal 6: 46-52
- 2012, Mohler E, Frei P, Fröhlich J, Braun-Fahrländer C, Rösli M, QUALIFEX-team
[Details] Exposure to Radiofrequency Electromagnetic Fields and Sleep Quality: A Prospective Cohort Study. [epidem.]
PLoS One 7 (5): e37455
- 2012, Kato Y, Johansson O
[Details] Reported functional impairments of electrosensitive Japanese: A questionnaire survey. [epidem.]

Pathophysiology 19 (2): 95-100

- 2012, Bortkiewicz A, Gadzicka E, Szyjkowska A, Politanski P, Mamrot P, Szymczak W, Zmyslony M
[Details] Subjective complaints of people living near mobile phone base stations in Poland. [epidem.]
Int J Occup Med Environ Health 25 (1): 31-40
- 2012, Frei P, Mohler E, Braun-Fahrlander C, Fröhlich J, Neubauer G, Rösli M, QUALIFEX-team
[Details] Cohort study on the effects of everyday life radio frequency electromagnetic field exposure on non-specific symptoms and tinnitus. [epidem.]
Environ Int 38 (1): 29-36
- 2011, Mortazavi SM, Atefi M, Kholghi F
[Details] The pattern of mobile phone use and prevalence of self-reported symptoms in elementary and junior high school students in Shiraz, Iran. [epidem.]
Iran J Med Sci 36 (2): 96-103
- 2011, Alazawi SA
[Details] Mobile Phone Base Stations Health Effects. [epidem.]
Diyala Journal of Medicine 1 (1): 44-52
- 2011, Chu MK, Song HG, Kim C, Lee BC
[Details] Clinical features of headache associated with mobile phone use: a cross-sectional study in university students. [epidem.]
BMC Neurol 11: 115
- 2011, Tseng MMC, Lin YP, Cheng TJ
[Details] Prevalence and psychiatric comorbidity of self-reported electromagnetic field sensitivity in Taiwan: A population-based study. [epidem.]
J Formos Med Assoc 110 (10): 634-641
- 2011, Baliatsas C, van Kamp I, Kelfkens G, Schipper M, Bolte J, Yzermans J, Lebreton E
[Details] Non-specific physical symptoms in relation to actual and perceived proximity to mobile phone base stations and powerlines. [epidem.]
BMC Public Health 11: 421
- 2011, Heinrich S, Thomas S, Heumann C, von Kries R, Radon K
[Details] The impact of exposure to radio frequency electromagnetic fields on chronic well-being in young people - A cross-sectional study based on personal dosimetry. [epidem.]
Environ Int 37 (1): 26-30
- 2010, Rösli M, Mohler E, Frei P
[Details] Sense and sensibility in the context of radiofrequency electromagnetic field exposure. [epidem.]
CR physique 11 (9-10): 576-584
- 2010, Heinrich S, Thomas S, Heumann C, von Kries R, Radon K

- [Details] Association between exposure to radiofrequency electromagnetic fields assessed by dosimetry and acute symptoms in children and adolescents: a population based cross-sectional study. [epidem.]
Environ Health 9 (1): 75-1-75-9
- 2010, Eger H, Jahn M
[Details] Spezifische Symptome und Mobilfunkstrahlung in Selbitz (Bayern) - Evidenz für eine Dosiswirkungsbeziehung. [epidem.]
Umwelt-Medizin-Gesellschaft 23 (2): 130-139
 - 2010, Hutter HP, Moshhammer H, Wallner P, Cartellieri M, Denk-Linnert DM, Katzinger M, Ehrenberger K, Kundi M
[Details] Tinnitus and mobile phone use. [epidem.]
Occup Environ Med 67 (12): 804-808
 - 2010, Breckenkamp J, Blettner M, Kowall B, Schüz J, Schlehofer B, Schmiedel S, Bornkessel C, Reis U, Potthoff P, Berg-Beckhoff G
[Details] Ergebnisse einer Querschnittsstudie zum Zusammenhang von elektromagnetischen Feldern von Mobilfunksendeanlagen und unspezifischen gesundheitlichen Beschwerden. [epidem.]
Umweltmed Forsch Prax 15 (3): 159-166
 - 2010, Mohler E, Frei P, Braun-Fahrländer C, Fröhlich J, Neubauer G, Rösli M
[Details] Effects of everyday radiofrequency electromagnetic-field exposure on sleep quality: a cross-sectional study. [epidem.]
Radiat Res 174 (3): 347-356
 - 2010, Milde-Busch A, von Kries R, Thomas S, Heinrich S, Straube A, Radon K
[Details] The association between use of electronic media and prevalence of headache in adolescents: results from a population-based cross-sectional study. [epidem.]
BMC Neurol 10 (1): 12
 - 2010, Johansson A, Nordin S, Heiden M, Sandstrom M
[Details] Symptoms, personality traits, and stress in people with mobile phone-related symptoms and electromagnetic hypersensitivity. [epidem.]
J Psychosom Res 68 (1): 37-45
 - 2009, Augner C, Hacker GW
[Details] Are people living next to mobile phone base stations more strained? Relationship of health concerns, self-estimated distance to base station, and psychological parameters. [epidem.]
Indian J Occup Environ Med 13 (3): 141-145
 - 2009, Korpinen LH, Pääkkönen R
[Details] Self-report of physical symptoms associated with using mobile phones and other electrical devices. [epidem.]
Bioelectromagnetics 30 (6): 431-437
 - 2009, Berg-Beckhoff G, Blettner M, Kowall B, Breckenkamp J, Schlehofer B, Schmiedel S, Bornkessel C, Reis U, Potthoff P, Schüz J

- [Details] Mobile phone base stations and adverse health effects: phase 2 of a cross-sectional study with measured radio frequency electromagnetic fields. [epidem.]
Occup Environ Med 66 (2): 124-130
- 2009, Blettner M, Schlehofer B, Breckenkamp J, Kowall B, Schmiedel S, Reis U, Potthoff P, Schüz J, Berg G
[Details] Mobile phone base stations and adverse health effects: phase 1 of a population-based, cross-sectional study in Germany. [epidem.]
Occup Environ Med 66 (2): 118-123
 - 2008, Khan MM
[Details] Adverse effects of excessive mobile phone use. [epidem.]
Int J Occup Med Environ Health 21 (4): 289-293
 - 2008, Söderqvist F, Carlberg M, Hardell L
[Details] Use of wireless telephones and self-reported health symptoms: a population-based study among Swedish adolescents aged 15-19 years. [epidem.]
Environ Health 7 (1): 18-1-18-10
 - 2008, Thomas S, Kühnlein A, Heinrich S, Praml G, Nowak D, von Kries R, Radon K
[Details] Personal exposure to mobile phone frequencies and well-being in adults: a cross-sectional study based on dosimetry. [epidem.]
Bioelectromagnetics 29 (6): 463-470
 - 2007, Davidson HC, Lutman ME
[Details] Survey of mobile phone use and their chronic effects on the hearing of a student population. [epidem.]
Int J Audiol 46 (3): 113-118
 - 2007, Schüz J, Waldemar G, Olsen J, Johansen C
[Details] Risks for central nervous system diseases among mobile phone subscribers: a Danish retrospective cohort study. [epidem.]
PLoS One 2 (10): e4389
 - 2007, Mortazavi SM, Ahmadi J, Shariati M
[Details] Prevalence of subjective poor health symptoms associated with exposure to electromagnetic fields among university students. [epidem.]
Bioelectromagnetics 28 (4): 326-330
 - 2006, Schreier N, Huss A, Rösli M
[Details] The prevalence of symptoms attributed to electromagnetic field exposure: a cross-sectional representative survey in Switzerland. [epidem.]
Soz Präventivmed 51 (4): 202-209
 - 2006, Schüz J, Petters C, Egle UT, Jansen B, Kimbel R, Letzel S, Nix W, Schmidt LG, Vollrath L
[Details] The "Mainzer EMF-Wachhund": results from a watchdog project on self-reported health complaints attributed to exposure to electromagnetic fields. [epidem.]
Bioelectromagnetics 27 (4): 280-287

- 2005, Meo SA, Al-Drees AM
[Details] Mobile phone related-hazards and subjective hearing and vision symptoms in the Saudi population. [epidem.]
Int J Occup Med Environ Health 18 (1): 53-57
- 2005, Meo SA, Al-Drees AM
[Details] Do mobile phones cause hearing and vision complaints? A preliminary report. [epidem.]
Saudi Med J 26 (5): 882-883
- 2005, Balik HH, Turgut-Balik D, Balikci K, Ozcan IC
[Details] Some ocular symptoms and sensations experienced by long term users of mobile phones. [epidem.]
Pathol Biol (Paris) 53 (2): 88-91
- 2005, Balikci K, Cem Ozcan I, Turgut-Balik D, Balik HH
[Details] A survey study on some neurological symptoms and sensations experienced by long term users of mobile phones. [epidem.]
Pathol Biol (Paris) 53 (1): 30-34
- 2004, Salama OE, Abou El Naga RM
[Details] Cellular phones: are they detrimental? [epidem.]
J Egypt Public Health Assoc 79 (3-4): 197-223
- 2004, Al-Khlaiwi T, Meo SA
[Details] Association of mobile phone radiation with fatigue, headache, dizziness, tension and sleep disturbance in Saudi population. [epidem.]
Saudi Med J 25 (6): 732-736
- 2003, Navarro EA, Segura J, Portoles M, Gomez-Perretta C
[Details] The Microwave Syndrome: A Preliminary Study in Spain. [epidem.]
Electromagn Biol Med 22 (2-3): 161-169
- 2003, Santini R, Santini P, Le Ruz P, Danze JM, Seigne M
[Details] Survey study of people living in the vicinity of cellular phone base stations. [epidem.]
Electromagn Biol Med 22 (1): 41-49
- 2002, Santini R, Seigne M, Bonhomme-Faivre L, Bouffet S, Defrasne E, Sage M
[Details] Symptoms experienced by users of digital cellular phones: a study of a French engineering school [epidem.]
Electromagn Biol Med 21 (1): 81-88
- 2001, Sandström M, Wilen J, Oftedal G, Hansson Mild K
[Details] Mobile phone use and subjective symptoms. Comparison of symptoms experienced by users of analogue and digital mobile phones. [epidem.]
Occup Med (Lond) 51 (1): 25-35
- 2000, Oftedal G, Wilen J, Sandström M, Hansson Mild K
[Details] Symptoms experienced in connection with mobile phone use. [epidem.]

Occup Med (Lond) 50 (4): 237-245

- 1998, Hocking B

[Details] Preliminary report: symptoms associated with mobile phone use.
[epidem.]

Occup Med (Lond) 48 (6): 357-360

45 Studien: Sonstige Krebsarten

- 2020, Choi YJ, Moskowitz JM, Myung SK, Lee YR, Hong YC
Cellular Phone Use and Risk of Tumors: Systematic Review and Meta-Analysis. [epidem.]
Int J Environ Res Public Health 17 (21): E8079
- 2020, Luo J, Li H, Deziel NC, Huang H, Zhao N, Ma S, Ni X, Udelsman R, Zhang Y
Genetic susceptibility may modify the association between cell phone use and thyroid cancer: A population-based case-control study in Connecticut. [epidem.]
Environ Res 182: 109013
- 2019, Gao H, Aresu M, Vergnaud AC, McRobie D, Spear J, Heard A, Kongsgård HW, Singh D, Muller DC, Elliott P
Personal radio use and cancer risks among 48,518 British police officers and staff from the Airwave Health Monitoring Study. [epidem.]
Br J Cancer 120 (3): 375-378
- 2019, Luo J, Deziel NC, Huang H, Chen Y, Ni X, Ma S, Udelsman R, Zhang Y
Cell phone use and risk of thyroid cancer: a population-based case-control study in Connecticut. [epidem.]
Ann Epidemiol 29: 39-45
- 2018, Shen SY, Wang WH, Liang R, Pan GQ, Qian YM
Clinicopathologic analysis of 2736 salivary gland cases over a 11-year period in Southwest China. [epidem.]
Acta Otolaryngol 138 (8): 746-749
- 2017, Momoli F, Siemiatycki J, McBride ML, Parent MÉ, Richardson L, Bedard D, Platt R, Vrijheid M, Cardis E, Krewski D
Probabilistic Multiple-Bias Modeling Applied to the Canadian Data From the Interphone Study of Mobile Phone Use and Risk of Glioma, Meningioma, Acoustic Neuroma, and Parotid Gland Tumors. [epidem.]
Am J Epidemiol 186 (7): 885-893
- 2017, Bortkiewicz A, Gadzicka E, Szymczak W
[Details] Mobile phone use and risk for intracranial tumors and salivary gland tumors - a meta-analysis. [epidem.]
Int J Occup Med Environ Health 30 (1): 27-43
- 2017, Balekouzou A, Yin P, Afewerky HK, Bekolo C, Pamatika CM, Nambei SW, Djeintote M, Doui Doumgba A, Mossoro-Kpinde CD, Shu C, Yin M, Fu Z, Qing T, Yan M, Zhang J, Chen S, Li H, Xu Z, Koffi B
Behavioral risk factors of breast cancer in Bangui of Central African Republic: A retrospective case-control study. [epidem.]
PLoS One 12 (2): e0171154
- 2017, de Siqueira EC, de Souza FTA, Gomez RS, Gomes CC, de Souza RP
[Details] Does cell phone use increase the chances of parotid gland tumor development? A systematic review and meta-analysis. [epidem.]

J Oral Pathol Med 46 (7): 480-483

- 2016, Carlberg M, Hedendahl L, Ahonen M, Koppel T, Hardell L
[Details] Increasing incidence of thyroid cancer in the Nordic countries with main focus on Swedish data. [epidem.]
BMC Cancer 16: 426
- 2016, Al-Qahtani K
[Details] Mobile Phone Use and the Risk of Parotid Gland Tumors: A Retrospective Case-Control Study. [epidem.]
Gulf J Oncolog 1 (20): 71-78
- 2013, Poulsen AH, Friis S, Johansen C, Jensen A, Frei P, Kjaer SK, Dalton SO, Schüz J
[Details] Mobile Phone Use and the Risk of Skin Cancer: A Nationwide Cohort Study in Denmark. [epidem.]
Am J Epidemiol 178 (2): 190-197
- 2013, Benson VS, Pirie K, Schüz J, Reeves GK, Beral V, Green J
[Details] Mobile phone use and risk of brain neoplasms and other cancers: prospective study. [epidem.]
Int J Epidemiol 42 (3): 792-802
- 2012, Shu X, Ahlbom A, Feychting M
[Details] Incidence trends of malignant parotid gland tumors in Swedish and nordic adults 1970 to 2009. [epidem.]
Epidemiology 23 (5): 766-767
- 2012, Stewart A, Rao JN, Middleton JD, Pearmain P, Evans T
[Details] Mobile telecommunications and health: report of an investigation into an alleged cancer cluster in Sandwell, West Midlands. [epidem.]
Perspect Public Health 132 (6): 299-304
- 2012, Li CY, Liu CC, Chang YH, Chou LP, Ko MC
[Details] A population-based case-control study of radiofrequency exposure in relation to childhood neoplasm. [epidem.]
Sci Total Environ 435: 472-478
- 2012, Söderqvist F, Carlberg M, Hardell L
[Details] Use of wireless phones and the risk of salivary gland tumours: a case-control study. [epidem.]
Eur J Cancer Prev 21 (6): 576-579
- 2012, Atzmon I, Linn S, Richter E, Portnov BA
[Details] Cancer risks in the Druze Isifya Village: Reasons and RF/MW antennas. [epidem.]
Pathophysiology 19 (1): 21-28
- 2011, Frei P, Poulsen AH, Johansen C, Olsen JH, Steding-Jessen M, Schüz J
[Details] Use of mobile phones and risk of brain tumours: update of Danish cohort study. [epidem.]

BMJ 343: d6387

- 2011, Hardell L, Carlberg M, Hansson Mild K, Eriksson M
[Details] Case-control study on the use of mobile and cordless phones and the risk for malignant melanoma in the head and neck region. [epidem.]
Pathophysiology 18 (4): 325-333
- 2011, Dode AC, Leao MM, Tejo FD, Gomes AC, Dode DC, Dode MC, Moreira CW, Condessa VA, Albinatti C, Caiaffa WT
[Details] Mortality by neoplasia and cellular telephone base stations in the Belo Horizonte municipality, Minas Gerais state, Brazil. [epidem.]
Sci Total Environ 409 (19): 3649-3665
- 2011, de Vocht F
[Details] Cell phones and parotid cancer trends in England. [epidem.]
Epidemiology 22 (4): 608-609
- 2011, Duan Y, Zhang HZ, Bu RF
[Details] Correlation between cellular phone use and epithelial parotid gland malignancies. [epidem.]
Int J Oral Maxillofac Surg 40 (9): 966-972
- 2011, Czerninski R, Zini A, Sgan-Cohen HD
[Details] Risk of parotid malignant tumors in Israel (1970-2006). [epidem.]
Epidemiology 22 (1): 130-131
- 2010, Elliott P, Toledano MB, Bennett J, Beale L, de Hoogh K, Best N, Briggs DJ
[Details] Mobile phone base stations and early childhood cancers: case-control study. [epidem.]
BMJ 340: c3077
- 2009, Myung SK, Ju W, McDonnell DD, Lee YJ, Kazinets G, Cheng CT, Moskowitz JM
[Details] Mobile phone use and risk of tumors: a meta-analysis. [epidem.]
J Clin Oncol 27 (33): 5565-5572
- 2009, Hardell L, Carlberg M, Hansson Mild K
[Details] Epidemiological evidence for an association between use of wireless phones and tumor diseases. [epidem.]
Pathophysiology 16 (2-3): 113-122
- 2009, Eger H, Neppe F
[Details] Krebsinzidenz von Anwohnern im Umkreis einer Mobilfunksendeanlage in Westfalen - Interview-basierte Piloterhebung und Risikoschätzung [epidem.]
Umwelt-Medizin-Gesellschaft 22 (1): 55-60
- 2009, Stang A, Schmidt-Pokrzywniak A, Lash TL, Lommatzsch PK, Taubert G, Bornfeld N, Jöckel KH
[Details] Mobile phone use and risk of uveal melanoma: results of the risk factors for uveal melanoma case-control study. [epidem.]
J Natl Cancer Inst 101 (2): 120-123

- 2008, Sadetzki S, Chetrit A, Jarus-Hakak A, Cardis E, Deutch Y, Duvdevani S, Zultan A, Novikov I, Freedman L, Wolf M
[Details] Cellular phone use and risk of benign and malignant parotid gland tumors-
-a nationwide case-control study. [epidem.]
Am J Epidemiol 167 (4): 457-467
- 2007, Hardell L, Carlberg M, Ohlson CG, Westberg H, Eriksson M, Hansson Mild K
[Details] Use of cellular and cordless telephones and risk of testicular cancer.
[epidem.]
Int J Androl 30 (2): 115-122
- 2006, Schüz J, Jacobsen R, Olsen J, Boice Jr JD, McLaughlin JK, Johansen C
[Details] Cellular telephone use and cancer risk: update of a nationwide Danish
cohort. [epidem.]
J Natl Cancer Inst 98 (23): 1707-1713
- 2006, Lönn S, Ahlbom A, Christensen HC, Johansen C, Schüz J, Edstrom S, Henriksson G, Lundgren J, Wennerberg J, Feychting M
[Details] Mobile phone use and risk of parotid gland tumor. [epidem.]
Am J Epidemiol 164 (7): 637-643
- 2006, Meyer M, Gärtig-Daugis A, Radespiel-Tröger M
[Details] Mobilfunkbasisstationen und Krebshäufigkeit in Bayern. [epidem.]
Umweltmed Forsch Prax 11 (2): 89-97
- 2006, Nelson PD, Toledano MB, McConville J, Quinn MJ, Cooper N, Elliott P
[Details] Trends in acoustic neuroma and cellular phones: is there a link? [epidem.]
Neurology 66 (2): 284-285
- 2004, Wolf R, Wolf D
[Details] Increased incidence of cancer near a cell-phone transmitter station.
[epidem.]
Int J Canc Prev 1 (2): 123-128
- 2004, Eger H, Hagen KU, Lucas B, Vogel P, Voit H
[Details] Einfluss der räumlichen Nähe von Mobilfunksendeanlagen auf die
Krebsinzidenz. [epidem.]
Umwelt-Medizin-Gesellschaft 17 (4): 326-332
- 2004, Hardell L, Hallquist A, Hansson Mild K, Carlberg M, Gertzen H, Schildt EB, Dahlqvist A
[Details] No association between the use of cellular or cordless telephones and
salivary gland tumours. [epidem.]
Occup Environ Med 61 (8): 675-679
- 2003, Inskip PD, Devesa SS, Fraumeni Jr JF
Trends in the incidence of ocular melanoma in the United States, 1974-1998.
[epidem.]
Cancer Causes Control 14 (3): 251-257
- 2003, Warren HG, Prevatt AA, Daly KA, Antonelli PJ

- [Details] Cellular telephone use and risk of intratemporal facial nerve tumor.
[epidem.]
Laryngoscope 113 (4): 663-667
- 2002, Auvinen A, Hietanen M, Luukkonen R, Koskela RS
[Details] Brain tumors and salivary gland cancers among cellular telephone users.
[epidem.]
Epidemiology 13 (3): 356-359
 - 2002, Johansen C, Boice Jr JD, McLaughlin JK, Christensen HC, Olsen J
[Details] Mobile phones and malignant melanoma of the eye. [epidem.]
Br J Cancer 86 (3): 348-349
 - 2001, Johansen C, Boice Jr JD, McLaughlin J, Olsen J
[Details] Cellular telephones and cancer--a nationwide cohort study in Denmark.
[epidem.]
J Natl Cancer Inst 93 (3): 203-207
 - 2001, Stang A, Anastassiou G, Ahrens W, Broman K, Bornfeld N, Jöckel KH
[Details] The possible role of radiofrequency radiation in the development of uveal melanoma. [epidem.]
Epidemiology 12 (1): 7-12
 - 1999, Dreyer NA, Loughlin JE, Rothman KJ
[Details] Cause-specific mortality in cellular telephone users. [epidem.]
JAMA 282 (19): 1814-1816

17 Studien: Leukämie/Lymphom

- 2020, Choi YJ, Moskowitz JM, Myung SK, Lee YR, Hong YC
Cellular Phone Use and Risk of Tumors: Systematic Review and Meta-Analysis.
[epidem.]
Int J Environ Res Public Health 17 (21): E8079
- 2018, Satta G, Mascia N, Serra T, Salis A, Saba L, Sanna S, Zucca MG, Angelucci E, Gabbas A, Culurgioni F, Pili P, Mura E, Cappai M, Ennas MG, Cocco P
Estimates of Environmental Exposure to Radiofrequency Electromagnetic Fields and Risk of Lymphoma Subtypes. [epidem.]
Radiat Res 189 (5): 541-547
- 2013, Benson VS, Pirie K, Schüz J, Reeves GK, Beral V, Green J
[Details] Mobile phone use and risk of brain neoplasms and other cancers: prospective study. [epidem.]
Int J Epidemiol 42 (3): 792-802
- 2012, Li CY, Liu CC, Chang YH, Chou LP, Ko MC

[Details] A population-based case-control study of radiofrequency exposure in relation to childhood neoplasm. [epidem.]
Sci Total Environ 435: 472-478
- 2012, Atzmon I, Linn S, Richter E, Portnov BA
[Details] Cancer risks in the Druze Isifya Village: Reasons and RF/MW antennas.
[epidem.]
Pathophysiology 19 (1): 21-28
- 2011, Dode AC, Leao MM, Tejo FD, Gomes AC, Dode DC, Dode MC, Moreira CW, Condessa VA, Albinatti C, Caiaffa WT
[Details] Mortality by neoplasia and cellular telephone base stations in the Belo Horizonte municipality, Minas Gerais state, Brazil. [epidem.]
Sci Total Environ 409 (19): 3649-3665
- 2010, Cooke R, Laing S, Swerdlow AJ
[Details] A case-control study of risk of leukaemia in relation to mobile phone use.
[epidem.]
Br J Cancer 103 (11): 1729-1735
- 2010, Elliott P, Toledano MB, Bennett J, Beale L, de Hoogh K, Best N, Briggs DJ
[Details] Mobile phone base stations and early childhood cancers: case-control study. [epidem.]
BMJ 340: c3077
- 2009, Myung SK, Ju W, McDonnell DD, Lee YJ, Kazinets G, Cheng CT, Moskowitz JM
[Details] Mobile phone use and risk of tumors: a meta-analysis. [epidem.]
J Clin Oncol 27 (33): 5565-5572
- 2009, Kaufman DW, Anderson TE, Issaragrisil S
[Details] Risk factors for leukemia in Thailand. [epidem.]

Ann Hematol 88 (11): 1079-1088


- 2009, Hardell L, Carlberg M, Hansson Mild K
[Details] Epidemiological evidence for an association between use of wireless phones and tumor diseases. [epidem.]
Pathophysiology 16 (2-3): 113-122
- 2006, Schüz J, Jacobsen R, Olsen J, Boice Jr JD, McLaughlin JK, Johansen C
[Details] Cellular telephone use and cancer risk: update of a nationwide Danish cohort. [epidem.]
J Natl Cancer Inst 98 (23): 1707-1713
- 2006, Linet MS, Taggart T, Severson RK, Cerhan JR, Cozen W, Hartge P, Colt J
[Details] Cellular telephones and non-Hodgkin lymphoma. [epidem.]
Int J Cancer 119 (10): 2382-2388
- 2006, Meyer M, Gärtig-Daug A, Radespiel-Tröger M
[Details] Mobilfunkbasisstationen und Krebshäufigkeit in Bayern. [epidem.]
Umweltmed Forsch Prax 11 (2): 89-97
- 2005, Hardell L, Eriksson M, Carlberg M, Sundstrom C, Hansson Mild K
[Details] Use of cellular or cordless telephones and the risk for non-Hodgkin's lymphoma. [epidem.]
Int Arch Occup Environ Health 78 (8): 625-632
- 2001, Johansen C, Boice Jr JD, McLaughlin J, Olsen J
[Details] Cellular telephones and cancer--a nationwide cohort study in Denmark. [epidem.]
J Natl Cancer Inst 93 (3): 203-207
- 1999, Dreyer NA, Loughlin JE, Rothman KJ
[Details] Cause-specific mortality in cellular telephone users. [epidem.]
JAMA 282 (19): 1814-1816

Weitere Zusammenfassungen

Dies war nur eine erste Übersicht der Studien und Publikationen, welche auf dem emf-Portal einsehbar sind. Hier weitere Zusammenfassungen der wissenschaftlichen Studien/Publikationen, welche auf dem Portal zu finden sind:


1343 Experimentelle Studien zu Mobilfunk

<https://www.emf-portal.org/de/article/overview/mobile-communications-med-bio#level-1>




216 Studien zur 5. Mobilfunkgeneration (5G)

<https://www.emf-portal.org/de/article/overview/mobile-communications-5g#level-1>




286 Epidemiologische Studien zu den Wirkungen von Hoch- und Niederfrequenz auf Kinder

<https://www.emf-portal.org/de/article/overview/children-and-young-animals-epidem#level-1>




642 Experimentelle Studien zu den Wirkungen von Nieder- und Hochfrequenz auf Jungtiere

<https://www.emf-portal.org/de/article/overview/children-and-young-animals-med-bio#level-1>




505 Epidemiologische Studien zu Netzfrequenzfeldern (50/60 Hz)

<https://www.emf-portal.org/de/article/overview/power-line-frequencies-epidem#level-1>




1772 Experimentelle Studien zu magnetischen Netzfrequenzfeldern (50/60 Hz)

<https://www.emf-portal.org/de/article/overview/power-line-frequencies-magnetic#level-1>




335 Experimentelle Studien zu elektrischen Netzfrequenzfeldern (50/60 Hz)

<https://www.emf-portal.org/de/article/overview/power-line-frequencies-electric#level-1>




1521 Experimentelle Studien zu statischen Magnetfeldern

<https://www.emf-portal.org/de/article/overview/static-fields-magnetic#level-1>




143 Experimentelle Studien zu statischen elektrischen Feldern

<https://www.emf-portal.org/de/article/overview/static-fields-electric#level-1>



Auf dem EMF-Portal unter dem Reiter «Studienübersichten» finden sich alle oben erwähnten Studien, Publikationen und Übersichtsarbeiten:

[TEAM](#) [FÖRDERUNG](#) [SPENDEN](#) [ANMELDUNG](#) [SPRACHE ▾](#)

 [Literatur ▾](#) [Technologie ▾](#) [Glossar](#) [Wirkungen ▾](#) [Mehr ▾](#)

[Suche](#) [Literatursuche](#) [Studienübersichten](#)

Mobilfunk

- Bevölkerungsstudien
- Experimentelle Studien
- Studien zur 5. Mobilfunkgeneration (5G)

50/60 Hz

- Bevölkerungsstudien
- Experimentelle Studien (magnetische Felder)
- Experimentelle Studien (elektrische Felder)

Kinder und Jungtiere

- Bevölkerungsstudien
- Experimentelle Studien

Statische Felder

- Experimentelle Studien (magnetische Felder)
- Experimentelle Studien (elektrische Felder)

Home
